








| No | Gambar  | Nama Barang               | Harga          | Spesifikasi   | Warna |
|----|---|---------------------------|----------------|---|-------|
| 1  |    | Acer Projector C205       | Rp.5.000.000,- | <ul style="list-style-type: none"> <li>• Native Resolution : FWVGA (854 x 480)</li> <li>• Maximum Resolution : WXGA (1280 x 800)</li> <li>• Brightness : 200 lm Standard, 160 lm Economy. 1,000 : 1 Contrast Ratio</li> <li>• Minimum Projection Distance : 28.74 inch; Maximum Projection Distance : 94.49 inch</li> <li>• Specifications :</li> <li>• Brand Name : Acer</li> <li>• Item Weight : 11.2 ounces</li> <li>• Product Dimensions : 5.7 x 4.3 x 1.1 inches</li> <li>• Item model number : MR.JH911.009</li> <li>• Color Name : White</li> <li>• Special Features : Speakers</li> </ul> |       |
| 2  |  | Acer Projector K135 - LED | Rp.7.650.000,- | <ul style="list-style-type: none"> <li>• Native : WVGA (1280 x 800)</li> <li>• Maximum : UXGA (1,600 x 1200), 1080p (1,920 x 1,080)</li> <li>• Aspect Ratio : 16:10</li> <li>• Contrast Ratio : 10000:1</li> <li>• Brightness : 500 ANSI LUMENS</li> <li>• Lamp Type : RGB LED</li> <li>• Lamp Life : LED life 20,000 Hours (Standard), 30,000 Hours (ECO)</li> <li>• Audio : One Internal Speaker with 2 watts Output</li> <li>• Dimensions : 140 x 116 x 41 mm (5.5" x 4.6" x 1.6")</li> <li>• Weight : 0.95lbs (0.43 kg)</li> </ul>  |       |



|          |   |                                 |                        |  |  |
|----------|---|---------------------------------|------------------------|--|--|
| <p>3</p> |    | <p>Acer Projector P6200S</p>    | <p>Rp.16.400.000,-</p> | <ul style="list-style-type: none"> <li>• Projector brightness : 5000 ANSI lumens</li> <li>• Projection technology : DLP, Projector native</li> <li>• Resolution : XGA (1024x768)</li> <li>• Service life of lamp : 3000 h</li> <li>• Bulb power : 310 W</li> <li>• Lamp type : UHP.</li> <li>• Focus : Manual</li> <li>• Focal length range (f-f) : 0.629 - 0.843" (16 - 21.4 mm)</li> <li>• Throw ratio : 1.4 - 19.1.</li> <li>• Analog signal format system : NTSC, PAL, SECAM.</li> <li>• USB connector type : Mini-USB B</li> <li>•</li> </ul>   |  |
| <p>4</p> |  | <p>Acer Projector PICO C120</p> | <p>Rp.4.200.000,-</p>  | <ul style="list-style-type: none"> <li>• Projection System : DLP®</li> <li>• Display Panel : 0.3" DMD</li> <li>• Resolution : Native FWVGA (854 x 480), Maximum WXGA (1280 x 800)</li> <li>• Aspect Ratio : 16:9 (native), 4:3</li> <li>• Contrast Ratio :1000:1</li> <li>• Brightness : 100 ANSI Lumens</li> <li>• Lamp Life : 20,000 hours (Standard)</li> <li>• Projection Lens : F = 1.87, f = 11mm, Manual focus</li> <li>• Keystone Correction : +/-40 degrees (Vertical), manual &amp; auto</li> <li>• Noise Level :30 dBA (Standard Mode)/24 dBA (ECO Mode)</li> <li>• Input Interface : USB (3.0, Micro-B) x 1</li> <li>• Weight : 6.34 oz. (system unit only)</li> </ul> |  |





|          |   |                                |                       |  |  |
|----------|---|--------------------------------|-----------------------|--|--|
| <p>5</p> |    | <p>Acer Projector S1283Hne</p> | <p>Rp.8.400.000,-</p> | <ul style="list-style-type: none"> <li>• Projection System : DLP®</li> <li>• Resolution : Native XGA (1,024 x 768)</li> <li>• Maximum UXGA : (1,600 x 1,200)</li> <li>• Aspect Ratio : 4:3 (Native) 16:9</li> <li>• Contrast Ratio : 13,000:1</li> <li>• Brightness : 3,100 ANSI Lumens (Standard)</li> <li>• : 2,480 ANSI Lumens (ECO)</li> <li>• Lamp Life : 4,000 Hours (Standard)</li> <li>• : 8,000 Hours (ECO)</li> <li>• Projection Lens : F = 2.8, f = 7.26mm manual Focus</li> <li>• Noise Level : 31 dBA (Standard mode), 28 dBA (ECO mode)</li> <li>• Input Interface : 2 x Analog RGB/Component Video (D-sub)</li> <li>• : 1 x Composite Video (RCA)</li> <li>• : 1 x S-Video (Mini DIN)</li> <li>• : 1 x HDMI/MHL (Video, Audio, HDCP)</li> <li>• : 1 x PC Audio (Stereo mini jack)</li> <li>• : 1 x Mic In (Stereo mini jack)</li> <li>• Dimensions : 314 x 223 x 93 mm (12.4" x 8.8" x 3.7")</li> <li>• Weight : 2.8 Kg (6.2 lbs.)</li> </ul> |  |
| <p>6</p> |  | <p>Acer Projector X1278H</p>   | <p>Rp.7.450.000,-</p> | <ul style="list-style-type: none"> <li>• Projection System : DLP®</li> <li>• Resolution : Native XGA (1,024 x 768) - Maximum WUXGA (1,920 x 1,200)</li> <li>• Aspect Ratio : 4:3 (native), 16:9</li> <li>• Contrast Ratio : 20,000:1</li> <li>• Brightness : 3,800 ANSI Lumens (Standard)</li> <li>• : 3,040 ANSI Lumens (ECO)</li> <li>• Lamp Life : 3,000 Hours (Standard)</li> </ul>  |  |

|          |   |                               |                       |   |  |
|----------|---|-------------------------------|-----------------------|---|--|
|          |   |                               |                       | <ul style="list-style-type: none"> <li>• 4,000 Hours (ECO)</li> <li>• Projection Lens : 50"@2m (1.1x Optical Zoom)</li> <li>• Noise Level : 34 dBA (Standard), 32 dBA (ECO)</li> <li>• Input Interface : Universal AC Power Jack x1</li> <li>• D-sub x 2</li> <li>• Composite Video x 1</li> <li>• S-Video x 1</li> <li>• HDMI x 1</li> <li>• Stereo mini jack x 1</li> <li>• USB A x 1</li> <li>• Dimensions / Weight : 320 x 225 x 105 mm (12.6" x 8.9" x 4.1") / 2.55 Kg (5.6 lbs.)</li> </ul>   |  |
| <p>7</p> |  | <p>Acer Projector X133PWH</p> | <p>Rp.7.300.000,-</p> | <ul style="list-style-type: none"> <li>• Projection system : DLP</li> <li>• Resolution : native WXGA (1,280 x 800)</li> <li>• Maximum UXGA : (1,600 x 1,200), WUXGA (1,920 x 1,200)</li> <li>• Aspect ratio : 4:3 (native), 16:9</li> <li>• Contrast ratio : 13,000:1</li> <li>• Brightness : 3,100 ANSI Lumens (standard)</li> <li>• : 2,480 ANSI Lumens (ECO)</li> <li>• Lamp life : 5,000 hours (standard)</li> <li>• : 6,000 hours (ECO)</li> <li>• : 10,000 hours (ExtremeEco)</li> <li>• Projection lens : F = 2.50-2.60, f = 21.86-24.00mm</li> <li>• : 1:1.1 manual zoom and manual focus</li> <li>• Keystone correction : +/-40 degrees (vertical), manual</li> <li>• Noise level : 31 dBA (standard mode)/28 dBA (ECO mode)</li> <li>• Input interface : analog RGB/component video (D-Sub) x1</li> </ul> |  |





|    |   |   |                 |  |  |
|----|---|---|-----------------|--|--|
|    |   |   |                 | <ul style="list-style-type: none"> <li>• : Composite video (RCA) x1</li> <li>• : S-video (mini DIN) x1</li> <li>• : HDMI (video, HDCP) x1</li> <li>• Control interface : USB (mini-B)</li> <li>• Dimensions : 314 x 223 x 93 mm (12.4 x 8.8 x 3.7 inches)</li> <li>• Weight : 2.5 kg (5.5 lbs)</li> </ul>                      |  |
| 8  |    | Acer Projektor X1183G                     | Rp.4.275.000,-  | <ul style="list-style-type: none"> <li>• SKU : ACO16ELAA4R4G8ANID-9434174</li> <li>• 3D TV : No</li> <li>• Curved TV : No</li> <li>• Model : X1183G</li> <li>• Ukuran (L x W x H cm) : 31.4 x 22.3 x 9.3 cm</li> <li>• Berat (kg) : 3.5kg</li> </ul>   |  |
| 9  |   | Acer Projektor X1273G-R                   | Rp.4.900.000,-  | <ul style="list-style-type: none"> <li>• SKU : ACO16ELAA3ZBFJANID-7720335</li> <li>• 3D TV : No</li> <li>• Curved TV : No</li> <li>• Model : X1273G</li> <li>• Ukuran (L x W x H cm) : 22x26.4x7.8</li> <li>• Berat (kg) : 2.3</li> </ul>  |  |
| 10 |  | Ask Proxima C510W Projector Ceiling Mount | Rp.17.500.000,- | <ul style="list-style-type: none"> <li>• Projector ceiling mounts from Projector Ceiling Mounts Direct (PCMD) LLC. offers the consumer a quality ceiling mount at a fraction of the cost of others on the market. This projector ceiling mount can be rotated 360 degrees, and pitched and rolled in any direction.</li> </ul> |  |




|           |  |                                   |                        |  |  |
|-----------|--|-----------------------------------|------------------------|--|--|
| <p>11</p> |   | <p>Ask Proxima C520 Projector</p> | <p>Rp.16.500.000,-</p> | <ul style="list-style-type: none"> <li>• ASK Proxima C520 is a LCD-based projectors with 5500 lumens and a 5000:1 contrast ratio for rich, bright and vivid picture quality. Features such as network control via RJ45 connection and edge-blending technology come standard along with a 1.65x digital zoom lens, as well as vertical/horizontal and corner keystone correction for image adjustment and to ensure that it's ready for large environments and complex projection installations.5000:1 Contrast Ratio With a 5000:1 contrast ratio, you're ensured of rich picture layering details and clear, crisp images for even the most demanding viewers. High Brightness for Large Images Super bright at 5500 Lumens, it's a great projector solution for meeting rooms, conference rooms and other small to large type environments</li> </ul> |  |
| <p>12</p> |  | <p>B-Tech PROJECTOR TROLLEY</p>   | <p>Rp.750.000,-</p>    | <ul style="list-style-type: none"> <li>• Supplied with braked castors and optional levelling feet for extra stability</li> <li>• Supplied with safety rails and safety strap for secure installation</li> <li>• Easy to assemble</li> <li>• Max Weight : 25kg (55lbs)</li> </ul>   |  |




|    |   |   |                 |   |  |
|----|---|---|-----------------|---|--|
| 13 |    | Focus Bracket Projector Alumunium           | Rp.250.000,-    | <ul style="list-style-type: none"> <li>• Barcket Projector</li> <li>• bahan alumunium</li> <li>• kuat</li> <li>• Berat max 6kg</li> </ul> |  |
| 14 |    | Focus FastFoldable - VS120 Projector Screen | Rp.16.800.000,- | <ul style="list-style-type: none"> <li>• Brand : Focus</li> <li>• Screen : 244 x 185 FastFoldable Wall Screen Motorized</li> </ul>        |  |
| 15 |   | Focus FastFoldable - VS150 Projector Screen | Rp.17.800.000,- | <ul style="list-style-type: none"> <li>• Brand : Focus</li> <li>• Screen : 305 x 229 FastFoldable Wall Screen Motorized</li> </ul>        |  |
| 16 |  | Focus FastFoldable - VS185 Projector Screen | Rp.18.900.000,- | <ul style="list-style-type: none"> <li>• Brand : Focus</li> <li>• Screen : 366 x 275 FastFoldable Wall Screen Motorized</li> </ul>        |  |

|    |   |   |                 |  |  |
|----|---|---|-----------------|--|--|
| 17 |                      | Focus FastFoldable - VS200 Projector Screen           | Rp.20.700.000,- | <ul style="list-style-type: none"> <li>• Brand : Focus</li> <li>• Screen : 406 x 305 FastFoldable Wall Screen Motorized</li> </ul>   |  |
| 18 |                      | Focus FastFoldable - VS300 Projector Screen Motorized | Rp.68.700.000,- | <ul style="list-style-type: none"> <li>• Brand : Focus</li> <li>• Screen : 609 x 457 FastFoldable Wall Screen Motorized</li> </ul>   |  |
| 19 |                     | Focus Projector Lift 1.0m Motorized                   | Rp.5.500.000,-  | <ul style="list-style-type: none"> <li>• Screen yang Di tempel didinding / tembok untuk naik turunnya layar tersebut dengan menggunakan remote control dan colok listrik. Sehingga lebih praktis penggunaannya untuk melihat gambar dan kelengkapan produk ini silahkan liat di photo profil.</li> </ul> |  |
| 20 |  | Focus Slide mechanism 120" Wall Mount                 | Rp.2.970.000,-  | <ul style="list-style-type: none"> <li>• Brand : Focus Wall Mount</li> <li>• Suitable : 120 inch display</li> </ul>  |  |



|    |   |  |                |   |  |
|----|---|--|----------------|---|--|
| 21 |    | Focus Slide mechanism 70" Wall Mount   | Rp.480.000,-   | <ul style="list-style-type: none"> <li>• Brand : Focus Wall Mount</li> <li>• Suitable : 70 inch display</li> <li>• Mounting max. : 800 x 400 ( width x height )</li> <li>• Weight : 130 kg</li> <li>• Adjustable : 650 mm</li> </ul>  |  |
| 22 |    | Focus Slide mechanism 84" Wall Mount   | Rp.1.000.000,- | <ul style="list-style-type: none"> <li>• Suitable for 84 inch display</li> <li>• Wall Mount, manual</li> </ul>  |  |
| 23 |   | Focus Slide mechanism 96" Wall Mount   | Rp.1.550.000,- | <ul style="list-style-type: none"> <li>• Suitable for 96 inch display</li> <li>• Wall Mount, manual</li> </ul>  |  |
| 24 |  | Focus Tripod Screen Model T-70 ( 70" ) | Rp.660.000,-   | <ul style="list-style-type: none"> <li>• Ringan namun tahan lama dibangun</li> <li>• pelana Slat tetap melihat permukaan datar</li> <li>• Plastik keystone eliminator</li> <li>• Kasus dan atas poros menyesuaikan easily</li> <li>• perbatasan masking Black untuk gambar terbaik</li> </ul> |  |



|    |  |  |                |   |  |
|----|--|--|----------------|---|--|
| 25 |   | Focus Tripod Screen Model T-84 ( 84" )     | Rp.1.165.000,- | <ul style="list-style-type: none"> <li>• Ringan namun tahan lama dibangun</li> <li>• pelana Slat tetap melihat permukaan datar</li> <li>• Plastik keystone eliminator</li> <li>• Kasus dan atas poros menyesuaikan easly</li> <li>• perbatasan masking Black untuk gambar terbaik</li> </ul>  |  |
| 26 |   | Focus Tripod Screen Model T-96 ( 96" )     | Rp.1.835.000,- | <ul style="list-style-type: none"> <li>• Model T-96</li> <li>• Size : 244 x 244</li> <li>• Brand : Focus</li> <li>• Ringan namun tahan lama dibangun</li> <li>• pelana Slat tetap melihat permukaan datar</li> <li>• Plastik keystone eliminator</li> <li>• Kasus dan atas poros menyesuaikan easly</li> <li>• perbatasan masking Black untuk gambar terbaik</li> </ul> |  |
| 27 |  | Focus Wall + Motor - 120" Projector Screen | Rp.4.200.000,- | <ul style="list-style-type: none"> <li>• Brand : FOCUS</li> <li>• Spesifikasi : 120 Inch Wall Projector Screen + Motor 120 Inch</li> </ul>  |  |



|           |  |   |                       |  |  |
|-----------|--|---|-----------------------|--|--|
| <p>28</p> |   | <p>Focus Wall + Motor - 144" Projector Screen</p> | <p>Rp.8.750.000,-</p> | <ul style="list-style-type: none"> <li>• Brand : FOCUS</li> <li>• Spesifikasi : 144 Inch Wall Projector Screen + Motor 144 Inch</li> </ul> |  |
| <p>29</p> |   | <p>Focus Wall + Motor - 70" Projector Screen</p>  | <p>Rp.1.980.000,-</p> | <ul style="list-style-type: none"> <li>• Brand : FOCUS</li> <li>• Spesifikasi : 70 Inch Wall Projector Screen + Motor 70 Inch</li> </ul>   |  |
| <p>30</p> |  | <p>Focus Wall + Motor - 84" Projector Screen</p>  | <p>Rp.2.500.000,-</p> | <ul style="list-style-type: none"> <li>• Brand : FOCUS</li> <li>• Spesifikasi : 84 Inch Wall Projector Screen + Motor 84 Inch</li> </ul>   |  |

|           |   |  |                       |  |  |
|-----------|---|--|-----------------------|--|--|
| <p>31</p> |    | <p>Focus Wall + Motor - 96" Projector Screen</p>   | <p>Rp.2.970.000,-</p> | <ul style="list-style-type: none"> <li>• Brand : FOCUS</li> <li>• Spesifikasi : 96 Inch Wall Projector Screen + Motor 96 Inch</li> </ul> |  |
| <p>32</p> |    | <p>Focus Wall + Motor - VS120 Projector Screen</p> | <p>Rp.2.750.000,-</p> | <ul style="list-style-type: none"> <li>• Brand : Focus</li> <li>• Spesifikasi : 244x185 Wall Screen + Motor VS120</li> </ul>             |  |
| <p>33</p> |   | <p>Focus Wall + Motor - VS150 Projector Screen</p> | <p>Rp.4.300.000,-</p> | <ul style="list-style-type: none"> <li>• Brand : FOCUS</li> <li>• Spesifikasi : 305x229 Wall Screen + Motor VS150</li> </ul>             |  |
| <p>34</p> |  | <p>Focus Wall + Motor - VS200 Projector Screen</p> | <p>Rp.8.250.000,-</p> | <ul style="list-style-type: none"> <li>• Brand : FOCUS</li> <li>• Spesifikasi : 406x305 Wall Screen + Motor VS200</li> </ul>             |  |

|    |   |   |                 |   |  |
|----|---|---|-----------------|---|--|
| 35 |    | Focus Wall + Motor - VS300 Projector Screen | Rp.34.950.000,- | <ul style="list-style-type: none"> <li>• Brand : FOCUS</li> <li>• Spesifikasi : 609x457 Wall Screen + Motor VS300</li> </ul>  |  |
| 36 |    | InFocus IN1116 Mobile Projector             | Rp.12.850.000,- | <ul style="list-style-type: none"> <li>• WXGA (1280 x 800) resolution</li> <li>• Weighs only 3.5 lbs. (1.6 kg)</li> <li>• 2400 lumens</li> <li>• Present files from a USB drive or its 4GB of internal memory</li> <li>• Display your device over HDMI 1.4a (with audio), VGA or Composite Video</li> <li>• 6-segment color wheel and BrilliantColor™ technology for beautiful images every time</li> </ul> |  |
| 37 |  | InFocus IN112X Projector                    | Rp.4.000.000,-  | <ul style="list-style-type: none"> <li>• SVGA (800 x 600) resolution</li> <li>• Up to 10,000-hour lamp</li> <li>• 3200 lumens</li> <li>• HDMI connectivity</li> <li>• Contrast ratio of 15000:1</li> <li>• Instant on/off</li> <li>• 3D ready</li> </ul>  |  |

|    |   |  |                 |  |  |
|----|---|--|-----------------|--|--|
| 38 |    | InFocus IN114A DLP Projector                 | Rp.4.300.000,-  | <ul style="list-style-type: none"> <li>• XGA (1024 x 768) resolution</li> <li>• Up to 10,000-hour lamp</li> <li>• 3200 lumens</li> <li>• HDMI connectivity</li> <li>• Contrast ratio of 15000:1</li> <li>• 3D ready</li> <li>• This product is only available in INDONESIA. All other regions should consider the IN114x instead.</li> </ul>   |  |
| 39 |    | InFocus IN116X 3200-Lumen WXGA DLP Projector | Rp.7.300.000,-  | <ul style="list-style-type: none"> <li>• High Brightness and Contrast</li> <li>• 3D Ready</li> <li>• BrilliantColor Technology</li> <li>• Eco Blanking</li> <li>• Low Total Cost of Ownership</li> </ul>   |  |
| 40 |  | InFocus IN119HDx Projector                   | Rp.10.050.000,- | <ul style="list-style-type: none"> <li>• 1080p (1920 x 1080) resolution with HD Spatial Resolution Technology</li> <li>• Up to 10,000-hour lamp</li> <li>• 3200 lumens</li> <li>• HDMI, VGA, composite and S-video connectivity</li> <li>• Contrast ratio of 15000:1</li> <li>• Highly compatible throw ratio of 1.15-1.5</li> <li>• Zoom ratio 1.3:1</li> <li>• Instant on/off</li> <li>• 3D ready</li> </ul> |  |

|           |   |                                   |                       |   |  |
|-----------|---|-----------------------------------|-----------------------|---|--|
| <p>41</p> |    | <p>InFocus IN124A Projector</p>   | <p>Rp.6.350.000,-</p> | <ul style="list-style-type: none"> <li>• XGA (1024 x 768) native resolution</li> <li>• 3500 lumens of brightness</li> <li>• Long-life lamp of up to 7,000 hours for long-term savings</li> <li>• High 15000:1 contrast ratio and BrilliantColor technology</li> <li>• Wireless connectivity with optional wireless USB adapter</li> <li>• Display over HDMI or USB</li> <li>• PC-less display from USB drive or 2GB of internal memory</li> <li>• Present Office docs, video, audio, photos and more wirelessly from your mobile device</li> <li>• Display 3D content from Blu-ray, PCs and more</li> </ul> |  |
| <p>42</p> |  | <p>InFocus IN124STA Projector</p> | <p>Rp.8.700.000,-</p> | <ul style="list-style-type: none"> <li>• XGA (1024 x 768) native resolution</li> <li>• Short throw lens (0.6 throw ratio)</li> <li>• 3300 lumens of brightness</li> <li>• Network connectivity for easy management</li> <li>• Wireless connectivity with optional wireless adapter</li> <li>• Display over HDMI or USB</li> <li>• PC-less display from USB drive or 2GB of internal memory</li> <li>• Present Office docs, video, audio, photos and more wirelessly from your mobile device</li> <li>• Display 3D content from Blu-ray, PCs and more</li> </ul>   |  |

|    |   |   |                 |  |  |
|----|---|---|-----------------|--|--|
| 43 |    | InFocus IN126A Projector                          | Rp.9.100.000,-  | <ul style="list-style-type: none"> <li>• WXGA (1280 x 800) native resolution</li> <li>• 3500 lumens of brightness</li> <li>• Long-life lamp of up to 7,000 hours for long-term savings</li> <li>• High 15000:1 contrast ratio and BrilliantColor technology</li> <li>• Wireless connectivity with optional wireless USB adapter</li> <li>• Display over HDMI or USB</li> <li>• PC-less display from USB drive or 2GB of internal memory</li> <li>• Present Office docs, video, audio, photos and more wirelessly from your mobile device</li> <li>• Display 3D content from Blu-ray, PCs and more</li> </ul> |  |
| 44 |  | InFocus IN126STA Short Throw Widescreen Projector | Rp.10.300.000,- | <ul style="list-style-type: none"> <li>• WXGA (1280 x 800) native resolution</li> <li>• Short throw lens (0.52 throw ratio)</li> <li>• 3300 lumens of brightness</li> <li>• Network connectivity for easy management</li> <li>• Wireless connectivity with optional wireless adapter</li> <li>• Display over HDMI or USB</li> <li>• PC-less display from USB drive or 2GB of internal memory</li> <li>• Present Office docs, video, audio, photos and more wirelessly from mobile devices</li> <li>• Display 3D content from Blu-ray, PCs and more</li> </ul>  |  |








|    |   |                            |                 |  |  |
|----|---|----------------------------|-----------------|--|--|
| 45 |    | InFocus IN128HDx Projector | Rp.14.300.000,- | <ul style="list-style-type: none"> <li>• 1080p (1920 x 1080) resolution</li> <li>• 4000 lumens</li> <li>• HDMI, VGA, composite and S-video connectivity</li> <li>• Networkable for easy management</li> <li>• Contrast ratio of 15000:1</li> <li>• Highly compatible throw ratio of 1.15-1.5</li> <li>• Zoom ratio 1.3:1</li> <li>• Strong built-in 10-watt audio</li> <li>• Instant on/off</li> <li>• 3D ready</li> </ul> |  |
| 46 |    | Infocus IN214 Projector    | Rp.4.650.000,-  | <ul style="list-style-type: none"> <li>• Available in Indonesia only</li> <li>• XGA (1024 x 768) resolution</li> <li>• LCD technology</li> <li>• VGA, composite, S-Video inputs and RS232</li> <li>• 2800 lumens</li> <li>• Selectable shutdown modes</li> <li>• Innovative thermal system that improves performance and extends lamp life</li> <li>• One-key screen saver</li> </ul>                                      |  |
| 47 |  | InFocus IN216 Projector    | Rp.5.950.000,-  | <ul style="list-style-type: none"> <li>• XGA (1024 x 768) resolution</li> <li>• BrightEra Inorganic LCD technology</li> <li>• VGA, composite, S-Video inputs and RS232</li> <li>• 3400 lumens</li> <li>• Selectable shutdown modes</li> <li>• Innovative thermal system that improves performance and extends lamp life</li> <li>• One-key screen saver</li> </ul>   |  |

|    |   |  |                         |  |  |
|----|---|--|-------------------------|--|--|
| 48 |    | <p>InFocus IN3124 4800 Lumens DLP<br/>XGA 3D Projector</p> | <p>Rp.15.600.000,-</p>  | <ul style="list-style-type: none"> <li>• 4800 lumens</li> <li>• XGA (1024 x 768) resolution</li> <li>• HDMI, VGA and port for USB thumb drive</li> <li>• Display over USB, LAN or optional WLAN</li> <li>• Display and manage over your network</li> <li>• 20-watt stereo audio</li> </ul>                             |  |
| 49 |    | <p>InFocus IN5542 Projector</p>                            | <p>Rp.117.400.000,-</p> | <ul style="list-style-type: none"> <li>• XGA (1024 x 768) resolution</li> <li>• 7500 lumens</li> <li>• Seven lens options (no lens is included)</li> <li>• Motorized lens shift, lens memory</li> <li>• HDMI, DVI-D, VGA, 5 BNC inputs and more</li> <li>• Network ready</li> <li>• 10,000-hour filter</li> </ul>      |  |
| 50 |   | <p>InFocus IN5552L Projector</p>                           | <p>Rp.137.700.000,-</p> | <ul style="list-style-type: none"> <li>• Up to 8300 lumens (with "Presentation" color wheel)</li> <li>• XGA (1024 x 768) resolution</li> <li>• Six lens options (no lens included)</li> <li>• Two 6-segment color wheels included</li> <li>• 3G-SDI, DVI-D, HDMI, VGA inputs and more</li> <li>• Dual lamps</li> </ul> |  |
| 51 |  | <p>InFocus IN8606HD Home Theatre<br/>Projector</p>         | <p>Rp.13.500.000,-</p>  | <ul style="list-style-type: none"> <li>• Native full HD 1080p (1920 x 1080) resolution</li> <li>• 2500 ANSI lumens</li> <li>• 10000:1 contrast ratio</li> <li>• NVIDIA 3DTV Play, ISF ccc Certified, 144Hz 3D triple flash</li> <li>• 3D support for Blu-ray, cable boxes and more, plus 3D sync port</li> </ul>       |  |




|    |   |  |                |   |  |
|----|---|--|----------------|---|--|
|    |   |  |                | <ul style="list-style-type: none"> <li>• Two HDMI 1.4 inputs, component, composite, VGA and more</li> <li>• Screen trigger and USB power port</li> <li>• 3D color management and 3D combination filter</li> </ul>   |  |
| 52 |    | InFocus LightPro IN1142 LED Projector                    | Rp.6.550.000,- | <ul style="list-style-type: none"> <li>• 30,000-hour LED light source</li> <li>• Only 1.8 lbs (0.8 kg)</li> <li>• WXGA (1280 x 800) resolution</li> <li>• 700 lumens</li> <li>• HDMI input with MHL 1.2 compatibility</li> <li>• Striking image quality and contrast</li> <li>• Auto keystone correction</li> </ul>   |  |
| 53 |   | IZINET Kabel HDMI Gold Plated 40meter (Buy 2 get 1 free) | Rp.380.000,-   | <ul style="list-style-type: none"> <li>• Kabel HDMI 40 meter Gold Plated digital 3+9 ini berkualitas bagus. Design konektornya Gold Plated (kuningan) untuk membedakan dengan yang berkualitas standar. Dilengkapi dengan inti ferit di kedua ujungnya. Untuk jangkauan sepanjang 40 meter jenis kabel ini cukup bagus menghantarkan signal, disamping harganya juga relatif terjangkau.</li> </ul> |  |
| 54 |  | IZINET Kabel HDMI Gold Plated 50meter (Buy 2 get 1 free) | Rp.480.000,-   | <ul style="list-style-type: none"> <li>• Kabel HDMI 50 meter Gold Plated digital 3+9 ini berkualitas bagus. Design konektornya Gold Plated (kuningan) untuk membedakan dengan yang berkualitas standar. Dilengkapi dengan inti ferit di kedua ujungnya. Untuk jangkauan sepanjang 50 meter jenis kabel ini cukup bagus menghantarkan signal, disamping harganya juga relatif terjangkau.</li> </ul> |  |

|    |   |  |              |  |  |
|----|---|--|--------------|--|--|
| 55 |    | Izinet VGA 10 Meter beli 10 bonus 1 HDMI | Rp.85.000,-  | <ul style="list-style-type: none"> <li>• SKU :HO818ELAKKD9ANID-550839</li> <li>• Model :10 meter</li> <li>• Berat (kg) :2</li> <li>• Tipe garansi :No Warranty</li> </ul>  |  |
| 56 |    | Izinet VGA 15 Meter beli 10 bonus 1 HDMI | Rp.130.000,- | <ul style="list-style-type: none"> <li>• SKU : HO818ELAKKD9ANID-550839</li> <li>• Model :15 meter</li> <li>• Berat (kg) :2</li> <li>• Tipe garansi :No Warranty</li> </ul> |  |
| 57 |   | Izinet VGA 20 Meter beli 10 bonus 1 HDMI | Rp.165.000,- | <ul style="list-style-type: none"> <li>• SKU : HO818ELAKKD9ANID-550839</li> <li>• Model :20 meter</li> <li>• Berat (kg) :2</li> <li>• Tipe garansi :No Warranty</li> </ul> |  |
| 58 |  | Izinet VGA 5 Meter beli 10 bonus 1 HDMI  | Rp.42.000,-  | <ul style="list-style-type: none"> <li>• SKU : HO818ELAKKD9ANID-550839</li> <li>• Model :5 meter</li> <li>• Berat (kg) :2</li> <li>• Tipe garansi :No Warranty</li> </ul>  |  |



|           |  |   |                     |  |  |
|-----------|--|---|---------------------|--|--|
| <p>59</p> |   | <p>Kabel HDMI Highspeed 2m</p>              | <p>Rp.15.000,-</p>  | <ul style="list-style-type: none"> <li>• Konektor berlapis emas untuk tingkat tertinggi dan mentransfer sinyal perlawanan di korosi .</li> <li>• Besar mengukur PVC jaket memberikan perlindungan maksimal terhadap keausan dan suhu ekstrim</li> <li>• Diperkuat quad -layer dikepang melindungi dan Mylar - foil pelindung memberikan perlindungan maksimal terhadap RF dan interferensi EM</li> <li>• Molded desain strain lega mengurangi tekanan plug / socket</li> <li>• Dirancang untuk memenuhi semua standar HDMI</li> <li>• Mendukung 480i , 480p , 720p , 1080i , resolusi 1080p</li> <li>• Dolby TrueHD dan DTS - HD Master Audio bitstream</li> </ul> |  |
| <p>60</p> |  | <p>Lexcron HDMI To VGA Colour Converter</p> | <p>Rp.118.000,-</p> | <ul style="list-style-type: none"> <li>• menghubungkan vga ke hdmi misalnya pada notebook vga ke hdmi proyektor</li> </ul>   |  |



|           |   |  |                       |  |  |
|-----------|---|--|-----------------------|--|--|
| <p>61</p> |    | <p>Lexcron HDMI to VGA Colour converter with audio black/white</p> | <p>Rp.115.000,-</p>   | <ul style="list-style-type: none"> <li>• menghubungkan VGA ke HDMI</li> <li>• Misal : notebook VGA ke HDMI proyektor</li> </ul>  |  |
| <p>62</p> |    | <p>Microvision MM70</p>  | <p>Rp.6.310.000,-</p> | <ul style="list-style-type: none"> <li>• WXGA Resolution</li> <li>• 1280 x 800 pixels</li> <li>• Broghtmess 600 lumens</li> <li>• Contrast ratio 30.000:1</li> <li>• port HDMI</li> <li>• Umur lampu 30.000 jam</li> </ul>   |  |
| <p>63</p> |  | <p>Microvision MS330</p>   | <p>Rp.4.230.000,-</p> | <ul style="list-style-type: none"> <li>• Native Resolution :SVGA</li> <li>• Technology :LCD</li> <li>• Brightness :3200 ANSI Lumens</li> <li>• Contrast Ratio :10000:1</li> <li>• Lamp :4000/6000 Hours</li> <li>• Dimension :310 x 247 x 95 mm</li> <li>• Weight :2.5 kg</li> </ul> |  |



|    |   |  |                |   |  |
|----|---|--|----------------|---|--|
| 64 |    | Microvision MX330                                | Rp.5.070.000,- | <ul style="list-style-type: none"> <li>• Sistem Projector :DLP Technology</li> <li>• Resolusi Native :XGA (1024x768)</li> <li>• Brightness :3200 Lumens</li> <li>• Rasio Kontras :4.000 : 1</li> <li>• Rasio Aspek :4:03</li> <li>• Input :VGA 15-pin D-Sub, RS-232, IR, Component Video using ADP-CVIE Adapter, 1x RCA Pin, Audio 1.8 in Stereo, Audio-In RCA (L/R), HDMI</li> <li>• Speaker :7W Speaker</li> <li>• Daya / Power :100-240V AC, 50/60 Hz</li> <li>• Konsumsi Daya :Normal 250 - 261 W, Eco Mode 206 - 213 W , Standby 0.3 - 0.4 W</li> <li>• Dimensi :260 x 247 x 89 mm</li> <li>• Berat :2.3 kg</li> </ul> |  |
| 65 |   | Microvision MX335A                               | Rp.6.890.000,- | <ul style="list-style-type: none"> <li>• Teknologi : DLP</li> <li>• Brightness : 3500 ANSI lumens</li> <li>• Contrast ratio : 4000:1</li> <li>• Aspek ratio : 4:3</li> <li>• Resolusi : 1024 x 768</li> <li>• Ukuran (L x W x H): 95 x 247 x 310 mm</li> <li>• Berat : 2.5 kg</li> <li>• Umur Lampu : 5000 jam</li> </ul>   |  |
| 66 |  | Microvision Wireless Presentation System - WD120 | Rp.2.080.000,- | <ul style="list-style-type: none"> <li>• KEMUDAHAN PRESENTASI DARI DONGLE SEUKURAN USB FLASHDISK</li> <li>• BERBAGI LAYAR DENGAN REKAN ANDA</li> <li>• KOMPABILITAS DAN COCOK DENGAN BERBAGAI OPERATING SYSTEM POPULER</li> <li>• JADIKAN DISPLAY APAPUN MENJADI SMART-DISPLAY WIRELESS</li> </ul>  |  |

|    |   |  |                       |   |  |
|----|---|--|-----------------------|---|--|
| 67 |    | <p>Microvision Wireless Presentation System - WGA315</p> | <p>Rp.4.100.000,-</p> | <ul style="list-style-type: none"> <li>• Wireless Presentation System</li> <li>• Auto-latency control</li> <li>• HDMI and VGA dual interfaces</li> <li>• 4-to-1</li> <li>• SNMP Manager</li> <li>• Plug-and-Show (PnS) Driverless</li> <li>• Changeable Customized Image</li> <li>• Wi-Fi AP-Client mode</li> <li>• Conference Control</li> <li>• Support iOS 3.2/Android 2.2+ device/Pad</li> <li>• Support Office Documents/PDF/TXT/JPG files</li> </ul>      |  |
| 68 |   | <p>Screen Projector Manual Wall Mount 70"</p>            | <p>Rp.375.000,-</p>   | <ul style="list-style-type: none"> <li>• Screen Projector Manual Wall Mount 70" memiliki performa yang baik dan mudah untuk digunakan. Sangat ideal digunakan untuk ruangan konferensi, training, atau ruang belajar. Memiliki desain yang modern dengan menggunakan bahan yang kuat. Screenview Manual Pull Down Wall Screen 2121L memiliki kinerja layar yang halus sehingga mudah untuk ditarik dan dilengkapi dengan self lock controller (SLC).</li> </ul> |  |
| 69 |  | <p>Screen Projector Manual Wall Mount 84"</p>            | <p>Rp.825.000,-</p>   | <ul style="list-style-type: none"> <li>• Screen Projector Manual Wall Mount 84" memiliki performa yang baik dan mudah untuk digunakan. Sangat ideal digunakan untuk ruangan konferensi, training, atau ruang belajar. Memiliki desain yang modern dengan menggunakan bahan yang kuat. Screenview Manual Pull Down Wall Screen 2121L memiliki kinerja layar yang halus sehingga mudah untuk ditarik dan dilengkapi dengan self lock controller (SLC).</li> </ul> |  |






|    |   |  |                |   |  |
|----|---|--|----------------|---|--|
| 70 |    | SCREENVIEW Tripod 70" Projector Screen | Rp.400.000,-   | <ul style="list-style-type: none"> <li>• Brand : SCREENVIEW</li> <li>• Spesifikasi : 1,960 x 200 x 115 mm Projector Screen</li> </ul>   |  |
| 71 |    | SCREENVIEW Tripod 84" Projector Screen | Rp.925.000,-   | <ul style="list-style-type: none"> <li>• Brand : SCREENVIEW</li> <li>• Spesifikasi : 2,290 x 200 x 115 mm Projector Screen</li> </ul>   |  |
| 72 |  | Sony VPL-DX111                         | Rp.5.050.000,- | <ul style="list-style-type: none"> <li>• Display System : 3 LCD system</li> <li>• Display device</li> <li>• Size of effective display area : 0.63" (16 mm) x 3 LCD Panel, Aspect ratio: 4:3</li> <li>• Number of pixels : 2,359,296 (1024x768 x 3) pixels</li> <li>• Projection lens</li> <li>• Focus : Manual</li> <li>• Zoom – Powered/Manual : Manual</li> <li>• Zoom – Ratio : Approx. x 1.2</li> <li>• Throw Ratio : 1.47:1 to 1.77:1</li> <li>• Light source</li> <li>• Type : Ultra high pressure mercury lamp</li> <li>• Contrast ratio (full white / full black)Speaker : 1 W x 1 (monaural)</li> <li>• Displayable scanning frequency</li> <li>• Horizontal : 19 kHz to 92 kHz</li> </ul> |  |


|    |   |                                 |                 |  |  |
|----|---|---------------------------------|-----------------|--|--|
|    |   |                                 |                 | <ul style="list-style-type: none"> <li>Vertical : 48 Hz to 92 Hz</li> </ul>  |  |
| 73 |    | Sony Lensa Proyektor VPLL-Z1032 | Rp.58.790.000,- | <ul style="list-style-type: none"> <li>Throw ratio 3.18 to 4.84 (WUXGA model)</li> <li>3.24 to 4.95 (XGA model)</li> <li>Zoom / Focus Manual / Manual</li> <li>Lens shift</li> <li>Vertical: Upward 60% to Downward 0%</li> <li>Horizontal: Right 32% to Left 32% (WUXGA model)</li> <li>Vertical: Upward 51% to Downward 0%</li> <li>Horizontal: Right 33% to Left 33% (XGA model)</li> <li>Aperture f/2.00 to 2.40</li> <li>Screen size 40" to 600"</li> <li>Dimensions W 97 x H 87 x D 177 mm (W 3 13/16 x H 3 7/16 x D 6 31/32 in)"</li> <li>Mass 1.1 kg / 2 lb</li> <li>Required projection lens adapter PK-F30LA1</li> </ul> |  |
| 74 |  | Sony Lensa Proyektor VPLL-Z2009 | Rp.38.860.000,- | <ul style="list-style-type: none"> <li>Throw ratio 0.85:1 to 1.0:1 (WUXGA model)</li> <li>0.86:1 to 1.01:1 (XGA model)</li> <li>Zoom / Focus Manual / Manual</li> <li>Lens shift</li> <li>Vertical: Upward 50% to Downward 0%</li> <li>Horizontal: Right 24% to Left 24% (WUXGA model)</li> <li>Vertical: Upward 37% to Downward 0%</li> <li>Horizontal: Right 23% to Left 23% (XGA model)</li> <li>Aperture f/1.85 to 2.1</li> <li>Screen size 60" to 300"</li> </ul>   |  |


|    |   |                                 |                 |   |  |
|----|---|---------------------------------|-----------------|---|--|
|    |   |                                 |                 | <ul style="list-style-type: none"> <li>• Dimensions W 165 x H 150 x D 217 mm</li> <li>• (W 6 1/2 x H 5 29/32 x D 8 17/32 in)</li> <li>• Mass 1.6 kg / 3.6 lb</li> </ul>   |  |
| 75 |    | Sony Lensa Proyektor VPLL-Z4011 | Rp.37.660.000,- | <ul style="list-style-type: none"> <li>• Throw ratio:</li> <li>• 1.38:1 to 2.06:1 (WUXGA model)</li> <li>• 1.40:1 to 2.10:1 (XGA model)</li> <li>• Zoom / Focus:</li> <li>• Powered / Powered</li> <li>• Lens shift:</li> <li>• Vertical: Upward 110% to Downward 110% Horizontal: Right 57% to Left 57% (WUXGA model)</li> <li>• Vertical: Upward 86% to Downward 86% Horizontal: Right 57% to Left 57% (XGA model)</li> <li>• Aperture:</li> <li>• f/1.75 to 2.40</li> <li>• Screen size:</li> <li>• 60" to 600"</li> <li>• Dimensions:</li> <li>• W 157 x H 150 x D 265 mm (W 6 3/16 x H 5 29/32 x D 10 7/16 in)"</li> <li>• Mass:</li> <li>• 3.7 kg / 8 lb</li> </ul> |  |
| 76 |  | Sony Lensa Proyektor VPLL-Z4015 | Rp.62.990.000,- | <ul style="list-style-type: none"> <li>• Throw ratio:</li> <li>• 2.02:1 to 2.67:1 (WUXGA model)</li> <li>• 2.06:1 to 2.72:1 (XGA model)</li> <li>• Zoom / Focus:</li> <li>• Powered / Powered</li> <li>• Lens shift:</li> </ul>   |  |

|           |   |  |                        |  |  |
|-----------|---|--|------------------------|--|--|
|           |   |  |                        | <ul style="list-style-type: none"> <li>• Vertical: Upward 109% to Downward 109% Horizontal: Right 57% to Left 57% (WUXGA model)</li> <li>• Vertical: Upward 86% to Downward 86% Horizontal: Right 57% to Left 57% (XGA model)</li> <li>• Aperture:             <ul style="list-style-type: none"> <li>• f/2.20 to 2.60</li> </ul> </li> <li>• Screen size             <ul style="list-style-type: none"> <li>• 40" to 600"</li> </ul> </li> <li>• Dimensions:             <ul style="list-style-type: none"> <li>• W 148 x H 133 x D 231 mm (W 5 13/16 x H 5 1/4 x D 9 3/32 in)</li> </ul> </li> <li>• Mass:             <ul style="list-style-type: none"> <li>• 3.00 kg / 6 lb</li> </ul> </li> </ul>  |  |
| <p>77</p> |  | <p>Sony Lensa Proyektor VPLL-Z4019</p> | <p>Rp.62.990.000,-</p> | <ul style="list-style-type: none"> <li>• Throw ratio:             <ul style="list-style-type: none"> <li>• 2.62:1 to 3.36:1 (WUXGA model)</li> <li>• 2.67:1 to 3.42:1 (XGA model)</li> </ul> </li> <li>• Zoom / Focus:             <ul style="list-style-type: none"> <li>• Powered / Powered</li> </ul> </li> <li>• Lens shift:             <ul style="list-style-type: none"> <li>• Vertical: Upward 113% to Downward 113% Horizontal: Right 63% to Left 63% (WUXGA model)</li> <li>• Vertical: Upward 96% to Downward 96% Horizontal: Right 64% to Left 64% (XGA model)</li> </ul> </li> <li>• Aperture:             <ul style="list-style-type: none"> <li>• f/1.70 to 2.10</li> </ul> </li> <li>• Screen size:             <ul style="list-style-type: none"> <li>• 40" to 600"</li> </ul> </li> <li>• Dimensions:             <ul style="list-style-type: none"> <li>• W 148 x H 133 x D 212 mm (W 5 13/16 x H 5 1/4 x D 8 11/32 in)</li> </ul> </li> <li>• Mass:</li> </ul> |  |

|    |   |                                 |                 |   |  |
|----|---|---------------------------------|-----------------|---|--|
|    |   |                                 |                 | <ul style="list-style-type: none"> <li>• 3.06 kg / 6 lb</li> </ul>  |  |
| 78 |    | Sony Lensa Proyektor VPLL-Z4025 | Rp.58.790.000,- | <ul style="list-style-type: none"> <li>• Throw ratio:</li> <li>• 3.30:1 to 6.11:1 (WUXGA model)</li> <li>• 3.36:1 to 6.23:1 (XGA model)</li> <li>• Zoom / Focus:</li> <li>• Powered / Powered</li> <li>• Lens shift:</li> <li>• Vertical: Upward 113% to Downward 113% Horizontal: Right 63% to Left 63% (WUXGA model)</li> <li>• Vertical: Upward 96% to Downward 96% Horizontal: Right 64% to Left 64% (XGA model)</li> <li>• Aperture:</li> <li>• f/2.20 to 3.10</li> <li>• Screen size:</li> <li>• 40" to 600"</li> <li>• Dimensions:</li> <li>• W 148 x H 133 x D 243 mm (W 5 13/16 x H 5 1/4 x D 9 9/16 in)</li> <li>• Mass:</li> <li>• 2.80 kg / 6 lb</li> </ul> |  |
| 79 |  | Sony Lensa Proyektor VPLL-Z4045 | Rp.65.460.000,- | <ul style="list-style-type: none"> <li>• Throw ratio:</li> <li>• 6.08:1 to 10.52:1 (WUXGA model)</li> <li>• 6.19:1 to 10.72:1 (XGA model)</li> <li>• Zoom / Focus:</li> <li>• Powered / Powered</li> <li>• Lens shift:</li> <li>• Vertical: Upward 113% to Downward 113% Horizontal: Right 63% to Left 63% (WUXGA model)</li> </ul>   |  |

|    |  |                                 |                 |  |  |
|----|--|---------------------------------|-----------------|--|--|
|    |  |                                 |                 | <ul style="list-style-type: none"> <li>• Vertical: Upward 96% to Downward 96% Horizontal: Right 64% to Left 64% (XGA model)</li> <li>• Aperture: f/2.20 to 3.60</li> <li>• Screen size: 60" to 600"</li> <li>• Dimensions: W 148 x H 133 x D 235 mm (W 5 13/16 x H 5 1/4 x D 9 1/4 in)</li> <li>• Mass: 3.00 kg / 6 lb</li> </ul>  |  |
| 80 |  | Sony Lensa Proyektor VPLL-ZM102 | Rp.42.130.000,- | <ul style="list-style-type: none"> <li>• Throw ratio 3.28:1 to 4.83:1 (WUXGA model)</li> <li>• 3.35:1 to 4.92:1 (XGA model)</li> <li>• Zoom / Focus Manual / Manual</li> <li>• Lens shift</li> <li>• Vertical: Upward 59% to Downward 59%</li> <li>• Horizontal: Right 31% to Left 31% (WUXGA model)</li> <li>• Vertical: Upward 50% to Downward 50%</li> <li>• Horizontal: Right 32% to Left 32% (XGA model)</li> <li>• Aperture f/2.04 to 2.57</li> <li>• Screen size 40" to 300"</li> <li>• Dimensions W 88 x H 88 x D 198 mm (W 3 15/32 x H 3 15/32 x D 7 25/32 in)</li> <li>• Mass 1.50 kg / 3 lb</li> <li>• Required projection lens adapter PK-F500LA2</li> </ul> |  |



|    |   |                                |                 |   |  |
|----|---|--------------------------------|-----------------|---|--|
| 81 |    | Sony Lensa Proyektor VPLL-ZM42 | Rp.7.870.000,-  | <ul style="list-style-type: none"> <li>• Throw ratio:</li> <li>•       1.83:1 to 2.32:1 (WUXGA model)</li> <li>•       1.87:1 to 2.30:1 (XGA model)</li> <li>• Zoom / Focus:</li> <li>•       Manual / Manual</li> <li>• Lens shift:</li> <li>•       Vertical: Upward 59% to Downward 59% Horizontal: Right 31% to Left 31% (WUXGA model)</li> <li>•       Vertical: Upward 50% to Downward 50% Horizontal: Right 32% to Left 32% (XGA model)</li> <li>• Aperture:</li> <li>•       f/1.74 to 2.28</li> <li>• Screen size:</li> <li>•       40" to 300"</li> <li>• Dimensions:</li> <li>•       W 88 x H 88 x D 159 mm (W 3 15/32 x H 3 15/32 x D 6 1/4 in)</li> <li>• Mass:</li> <li>•       0.65 kg / 1 lb</li> <li>• Required projection lens adapter:</li> <li>•       PK-F500LA2</li> </ul> |  |
| 82 |  | Sony Lensa Proyektor VPLL-ZP41 | Rp.29.460.000,- | <ul style="list-style-type: none"> <li>• Throw ratio       2.48:1 to 2.71:1 (WUXGA model)</li> <li>•       2.53:1 to 3.08:1 (XGA model)</li> <li>• Zoom / Focus     Powered / Powered</li> <li>• Lens shift</li> <li>• Vertical: Upward 113% to Downward 113%</li> <li>• Horizontal: Right 63% to Left 63% (WUXGA model)</li> <li>• Vertical: Upward 96% to Downward 96%</li> <li>• Horizontal: Right 64% to Left 64% (XGA model)</li> <li>• Aperture         f/1.70 to 2.00</li> </ul>   |  |


|    |  |                          |                 |   |  |
|----|--|--------------------------|-----------------|---|--|
|    |  |                          |                 | <ul style="list-style-type: none"> <li>• Screen size 40" to 300"</li> <li>• Dimensions W 117 x H 110 x D 198 mm (W 4 19/32 x H 4 11/32 x D 7 25/32 in)</li> <li>• Mass 1.46 kg / 3 lb</li> <li>• Required projection lens adapter PK-F500LA1</li> </ul>   |  |
| 83 |  | Sony Projektor VPL-CH350 | Rp.23.470.000,- | <ul style="list-style-type: none"> <li>• - Display system: 3 LCD system</li> <li>• - Size of effective display area: 0.64" (16.3 mm) x 3 BrightEra LCD Panel, Aspect ratio: 16:10</li> <li>• - Number of pixels: 6,912,000 (1920 x 1200 x 3) pixels</li> <li>• Projection lens:             <ul style="list-style-type: none"> <li>• - Focus: Manual</li> <li>• - Throw Ratio: 1.5:1 to 2.2:1</li> <li>• - Lens shift - Powered/Manual: Manual</li> <li>• - Lens shift - Range Vertical: +/- 5%</li> <li>• - Lens shift - Range Horizontal: +/- 4%</li> </ul> </li> <li>• - Light source: Ultra high pressure mercury lamp</li> <li>• - Wattage: 250 W type</li> <li>• - Lamp mode: High 3000 H</li> <li>• - Lamp mode: Standard 4000 H</li> <li>• - Lamp mode: Low 5000 H</li> <li>• Screen size</li> <li>• Screen size:             <ul style="list-style-type: none"> <li>• - 40" to 300" (1.02 m to 7.62 m) (measured diagonally)</li> </ul> </li> <li>• Light output:             <ul style="list-style-type: none"> <li>• - Lamp mode: High 4000 lm</li> <li>• - Lamp mode: Standard 3200 lm</li> <li>• - Lamp mode: Low 2600 lm</li> </ul> </li> </ul> |  |



|    |   |                          |                 |  |  |
|----|---|--------------------------|-----------------|--|--|
| 84 |    | Sony Proyektor VPL-CH355 | Rp.25.130.000,- | <ul style="list-style-type: none"> <li>• Projection System : 3 LCD</li> <li>• Color Light Output : 4000 lumens (high lamp mode) 3200 (standard mode)</li> <li>• Light Output : 4000 lumens (high lamp mode) 3200 (standard mode)</li> <li>• Contrast Ratio : 2500:1</li> <li>• Lamp : High-pressure mercury lamp 250 W type</li> <li>• Lamp Life : 3000H(lamp mode : High) / 3500H(Standard)</li> <li>• Projection Lens : Approx. 1.45x manual zoom / Manual focus</li> <li>• Throw Ratio : 1.5 to 2.1:1</li> <li>• Screen Coverage : 40" to 300"</li> </ul>   |  |
| 85 |  | Sony Proyektor VPL-CW256 | Rp.19.000.000,- | <ul style="list-style-type: none"> <li>• - Display System: 3 LCD system</li> <li>• Display device:</li> <li>• - Size of effective display area: 0.75" (19.1 mm) x 3, BrightEra, Aspect ratio: 16:10</li> <li>• - Number of pixels: 3,072,000 (1280 x 800 x 3) pixels</li> <li>• Projection lens:</li> <li>• - Focus: Manual</li> <li>• - Zoom - Powered/Manual: Manual</li> <li>• - Zoom - Ratio: Approx. 1.45 x</li> <li>• - Throw Ratio:1.32:1 to 1.91:1</li> <li>• - Lens shift - Powered/Manual: Manual</li> <li>• - Lens shift - Range Vertical: +/- 5%</li> <li>• - Lens shift - Range Horizontal: +/- 3%</li> <li>• Light source:</li> <li>• - Type: Ultra high pressure mercury lamp</li> <li>• - Wattage: 245 W type</li> <li>• - Lamp mode: High 3000 H</li> <li>• - Lamp mode: Standard 4000 H</li> </ul> |  |



|    |   |                          |                 |   |  |
|----|---|--------------------------|-----------------|---|--|
|    |   |                          |                 | <ul style="list-style-type: none"> <li>- Lamp mode: Low 5000 H</li> </ul>   |  |
| 86 |    | Sony Projektor VPL-CX276 | Rp.20.120.000,- | <ul style="list-style-type: none"> <li>- Display System: 3 LCD system</li> <li>- Size of effective display area: 0.79" (20.1 mm) x 3, BrightEra, Aspect ratio: 4:3</li> <li>- Number of pixels: 2,359,296 (1024 x 768 x 3) pixels</li> <li>- Focus: Manual</li> <li>- Zoom - Powered/Manual: Manual</li> <li>- Zoom - Ratio: Approx. 1.45 x</li> <li>- Throw Ratio: 1.32:1 to 1.91:1</li> <li>- Lens shift - Powered/Manual: Manual</li> <li>- Lens shift - Range Vertical: +/- 3.3%</li> <li>- Lens shift - Range Horizontal: +/- 2.5%</li> </ul>  |  |
| 87 |  | Sony Projektor VPL-DX111 | Rp.5.050.000,-  | <ul style="list-style-type: none"> <li>Display System : 3 LCD system</li> <li>Size of effective display area : 0.63" (16 mm) x 3 LCD Panel, Aspect ratio: 4:3</li> <li>Number of pixels : 2,359,296 (1024x768 x 3) pixels</li> <li>Projection lens</li> <li>Focus : Manual</li> <li>Zoom – Powered/Manual : Manual</li> <li>Zoom – Ratio : Approx. x 1.2</li> <li>Throw Ratio : 1.47:1 to 1.77:1</li> <li>Light source</li> <li>Type : Ultra high pressure mercury lamp</li> <li>Wattage : 210 W type</li> <li>Screen size</li> <li>Screen size : 30" to 300" (0.76 m to 7.62 m)(measured diagonally</li> <li>Light output</li> <li>Lamp mode: High : 2300 lm</li> <li>Lamp mode: Standard : 1800 lm</li> </ul> |  |



|    |  |                          |                |   |  |
|----|--|--------------------------|----------------|---|--|
| 88 |   | Sony Projektor VPL-DX131 | Rp.5.750.000,- | <ul style="list-style-type: none"> <li>• Type : Sony VPLDX131</li> <li>• Technology : LCD</li> <li>• Brightness : 2.600 ANSI lumen</li> <li>• Resolution : XGA ( 1024 x 768 )</li> <li>• Weight : 2,5 kg</li> <li>• Lamp Hour : 6.000 jam</li> <li>• Contrast ratio : 3.000:1</li> <li>• Input : VGA - VIDEO - HDMI</li> </ul>  |  |
| 89 |  | Sony Projektor VPL-DX142 | Rp.7.000.000,- | <ul style="list-style-type: none"> <li>• brightness (ANSI Lumens) 3200 ANSI Lumens</li> <li>• Resolution (Native/Max ) XGA (1024 x 768)</li> <li>• UXGA (1600 x 1200)</li> <li>• Contrast Ratio 3000:1</li> <li>• Display Type LCD</li> <li>• Projection Lens F = 1.7 ~ 1.8</li> <li>• f = 18.6 ~ 22.4 mm mm</li> <li>• Dimensions (WxHxD) 12.3in. x 4.5in. x 10.6in.</li> <li>• (31.24cm x 11.43cm x 26.92cm)</li> <li>• Input 1 X RGB D-Sub 15 Pin,1 X Composite 1 X S- Video</li> <li>• Output 1 x RGB D-sub 15 Pin,1 X Sterio Mini Jack</li> <li>• Power Supply 100 ~ 240 V / 50 ~ 60 Hz</li> <li>• Lamp Life 3000 hrs (High Mode)</li> <li>• 5000 hrs (Low Lamp Mode)</li> </ul> |  |

|           |   |                                 |                        |   |  |
|-----------|---|---------------------------------|------------------------|---|--|
| <p>90</p> |    | <p>Sony Proyektor VPL-EW235</p> | <p>Rp.8.400.000,-</p>  | <ul style="list-style-type: none"> <li>• Brightness (ANSI Lumens) 2700 ANSI Lumens</li> <li>• Resolution (Native/Max) WXGA (1280x800)</li> <li>• Display Sistem Sistem 3 LCD</li> <li>• Daya</li> <li>• AC 100V ke 240V</li> <li>• 3.0 A ke 1.2 A, 50/60 Hz</li> <li>• INPUT OUTPUT</li> <li>• HDMI</li> <li>• Pin Jack</li> <li>• Mini DIN 4-Pin</li> <li>• Mini D-sub 15-pin</li> <li>• D-Sub 9-pin</li> <li>• Stereo MIni Jack</li> <li>• RJ-45</li> <li>• USB</li> <li>• Fitur</li> <li>• 10.000 Hr Lamp Life time</li> <li>• Contrast Ratio 2700:1</li> <li>• Power Saving</li> <li>• Low Power</li> <li>• Dimensions (WxHxD) 365 mm x 96.2 mm x 252 mm</li> </ul> |  |
| <p>91</p> |  | <p>Sony Proyektor VPL-EW315</p> | <p>Rp.14.150.000,-</p> | <ul style="list-style-type: none"> <li>• Display System 3 LCD system</li> <li>• Size of effective display area 0.75" (19 mm) x 3 BrightEra LCD Panel, Aspect ratio: 16:10</li> <li>• Number of pixels 3,072,000 (1280x800 x 3) pixels</li> <li>• Focus Manual</li> <li>• Zoom – Powered/Manual Manual</li> <li>• Zoom – Ratio Approx. x 1.6</li> <li>• Throw Ratio 1.10:1 to 1.79:1</li> <li>• Type Ultra high pressure mercury lamp</li> </ul>   |  |



|    |   |                           |                  |   |  |
|----|---|---------------------------|------------------|---|--|
|    |   |                           |                  | <ul style="list-style-type: none"> <li>• Wattage 225 W type</li> <li>• Screen size 30" to 300" (0.76 m to 7.62 m)</li> </ul>  |  |
| 92 |    | Sony Proyektor VPL-EX315  | Rp.11.100.000,-  | <ul style="list-style-type: none"> <li>• Display System 3 LCD system</li> <li>• Size of effective display area 0.63" (16 mm) x 3 BrightEra LCD Panel, Aspect ratio: 4:3</li> <li>• Number of pixels 2,359,296 (1024x768 x 3) pixels</li> <li>• Focus Manual</li> <li>• Zoom – Powered/Manual Manual</li> <li>• Zoom – Ratio Approx. x 1.6</li> <li>• Throw Ratio 1.40:1 to 2.27:1</li> <li>• Type Ultra high pressure mercury lamp</li> <li>• Wattage 225 W type</li> <li>• Screen size 30" to 300" (0.76 m to 7.62 m)</li> </ul>   |  |
| 93 |  | Sony Proyektor VPL-FH500L | Rp.121.300.000,- | <ul style="list-style-type: none"> <li>• Display System 3 LCD system</li> <li>• Display Device</li> <li>• Size of effective display area: 0.95" (24.1 mm) x 3 BrightEra LCD Panel, Aspect ratio: 16:10</li> <li>• Number of Pixels: 6,912,000 (1920 x 1200 x 3) pixels</li> <li>• Focus Powered / Manual (Depend on lens)</li> <li>• Light Source Ultra high pressure mercury lamp 330 W type</li> <li>• Screen Size 40" to 600" (1.02 m to 15.24 m) (measured diagonally) (Depend on lens)</li> <li>• Light Output</li> <li>• Lamp mode: High (7000 lm)</li> <li>• Lamp mode: Standard (5600 lm)</li> <li>• Colour Light Output</li> </ul> |  |



|    |   |                            |                  |  |  |
|----|---|----------------------------|------------------|--|--|
|    |   |                            |                  | <ul style="list-style-type: none"> <li>• Lamp mode: High (7000 lm)</li> <li>• Lamp mode: Standard (5600 lm)</li> <li>• Contrast ratio (full white / full black) 2500 : 1</li> </ul>  |  |
| 94 |    | Sony Projektor VPL-FHZ700L | Rp.138.630.000,- | <ul style="list-style-type: none"> <li>• Type: Laser projector</li> <li>• Display Technology: 3LCD Projector</li> <li>• Lumens: 7000 Lumens</li> <li>• Resolution (Native): WUXGA (1920 x 1200)</li> <li>• Contrast Ratio (up to): 8.000:1</li> <li>• Lamp Life (up to): 22.000 hours</li> <li>• Audio: –</li> <li>• Dimensions – WxHxD mm: 530 x 204 x 545 mm</li> <li>• Input: VGA, HDMI</li> </ul>  |  |
| 95 |  | Sony Projektor VPL-FX30    | Rp.13.500.000,-  | <ul style="list-style-type: none"> <li>• Projection System 3 LCD panels, 1 lens projection system</li> <li>• Image Device 0.79" TFT LCD panel (BrightEra) 2,359,296 (1024X768(XGA) x 3) pixels</li> <li>• Color Light Output 4200 lumens</li> <li>• Color Light Output (low lamp mode) 3000 lumens</li> <li>• Light Output 4200 lumens (lamp mode high)</li> <li>• 3000 lumens (lamp mode low)</li> <li>• Contrast Ratio 2000:1</li> <li>• Lamp 230 W UHP Lamp</li> <li>• Lamp Life 4000 H (lamp mode high), 5000H (lamp mode low)</li> <li>• Projection Lens 1.6 times zoom lens</li> <li>• f30.6 to 39.7mm</li> <li>• F1.66 to 2.18</li> </ul> |  |



|    |   |                           |                 |  |  |
|----|---|---------------------------|-----------------|--|--|
|    |   |                           |                 | <ul style="list-style-type: none"> <li>• Throw Ratio 1.42-2.27:1</li> <li>• Screen Coverage 40 to 600 inches (viewable area measured diagonally)</li> </ul>  |  |
| 96 |    | Sony Projektor VPL-FX35   | Rp.18.720.000,- | <ul style="list-style-type: none"> <li>• Light Output 5000 lumens (high mode), 4000 lumens (Std lamp mode)</li> <li>• Contrast Ratio 2000:1</li> <li>• Lamp 275W UHP Lamp; Life: 3000/4000H</li> <li>• Projection Lens 1.6 times zoom, F = 1.75 to 2.56</li> <li>• Throw Ratio 1.42-2.27:1</li> <li>• Screen Coverage 40 to 600 inches (viewable area, measured diagonally)</li> </ul>   |  |
| 97 |  | Sony Projektor VPL-FX500L | Rp.53.300.000,- | <ul style="list-style-type: none"> <li>• Display Technology: 3 LCD Projektor</li> <li>• Lumens: 7000 Lumens</li> <li>• Resolution (Native): XGA 1024 x 768 pixels</li> <li>• Contrast Ratio (up to): 2.500:1</li> <li>• Lamp Life (up to): 8000 (Long Lamp Replacement Time)</li> <li>• Audio: –</li> <li>• Dimensions – WxHxD mm: Approx. 530 x 204 x 545 mm</li> <li>• Input: VGA, HDMI, and Others</li> <li>• Network: RJ-45, 10BASE-T/100BASE-TX</li> <li>• mess: 20 kg</li> </ul> |  |



|           |   |                                 |                        |   |  |
|-----------|---|---------------------------------|------------------------|---|--|
| <p>98</p> |    | <p>Sony Proyektor VPL-SW225</p> | <p>Rp.11.800.000,-</p> | <ul style="list-style-type: none"> <li>• Display system : 3 LCD system</li> <li>• Display device</li> <li>• Size of effective display area : 0.59" (15 mm) x 3 BrightEra LCD Panel, Aspect ratio: 16:10</li> <li>• Number of pixels : 3,072,000 (1280 x 800 x 3) pixels</li> <li>• Projection lens</li> <li>• Focus : Manual</li> <li>• Throw ratio : 0.46:1</li> <li>• Light source</li> <li>• Type : Ultra high pressure mercury lamp</li> <li>• Wattage : 210 W type</li> <li>• Recommended lamp replacement time*1</li> </ul> |  |
| <p>99</p> |  | <p>Sony Proyektor VPL-SW235</p> | <p>Rp.13.200.000,-</p> | <ul style="list-style-type: none"> <li>• Display Technology: 3 LCD System</li> <li>• Lumens: 3.000 Lumens</li> <li>• Resolution (Native): WXGA (1280 x 800)</li> <li>• Contrast Ratio (up to): 3.000:1</li> <li>• Lamp Life (up to): 7000 (Long Lamp Replacement Time)</li> <li>• Audio: –</li> <li>• Dimensions – WxHxD mm: Approx. 365 x 138.7 x 310 mm</li> <li>• Input: VGA, HDMI, and Others</li> <li>• Network: RJ-45, 10BASE-T/100BASE-TX</li> <li>• Speaker 16 W x 1 (monaural)</li> </ul>                                |  |





|     |   |                           |                 |   |  |
|-----|---|---------------------------|-----------------|---|--|
| 100 |    | Sony Projektor VPL-SW536C | Rp.19.090.000,- | <ul style="list-style-type: none"> <li>• Display system 3 LCD system</li> <li>• Size of effective display area 0.75" (19 mm) x 3 BrightEra LCD Panel, Aspect ratio: 16:10</li> <li>• Number of pixels 3,072,000 (1280 x 800 x 3) pixelsFocus Manual</li> <li>• Zoom - Powered/Manual Manual</li> <li>• Zoom - Ratio Approx. x 1.05</li> <li>• Throw Ratio 0.27:1 to 0.29:1</li> <li>• Lens shift - Powered/Manual Manual</li> <li>• Lens shift - Range Vertical +/- 4%</li> <li>• Lens shift - Range Horizontal +/- 2%</li> </ul>   |  |
| 101 |  | Sony Projektor VPL-SW620  | Rp.18.670.000,- | <ul style="list-style-type: none"> <li>• Sony VPL-DX127 XGA Projektor</li> <li>• Rp.6.950.000,-</li> <li>• Size of effective display area 0.59" (15.0 mm) x 3 BrightEra LCD Panel, Aspect ratio: 16:10</li> <li>• Number of pixels 3,072,000 (1280 x 800 x 3) pixels</li> <li>• Focus Manual</li> <li>• Zoom - Powered/Manual Manual</li> <li>• Zoom - Ratio Approx. x 1.03</li> <li>• Throw Ratio 0.27:1 to 0.27:1</li> <li>• Lens shift - Powered/Manual Manual</li> <li>• Lens shift - Range Vertical +/- 3.7%</li> <li>• Lens shift - Range Horizontal +/- 2.3%</li> <li>• Type Ultra high pressure mercury lamp</li> <li>• Wattage 225 W type</li> </ul> |  |

|     |   |                           |                 |  |  |
|-----|---|---------------------------|-----------------|--|--|
| 102 |    | Sony Projektor VPL-SW620C | Rp.20.050.000,- | <ul style="list-style-type: none"> <li>• Display system 3 LCD system</li> <li>• Size of effective display area 0.59" (15.0 mm) x 3 BrightEra LCD Panel, Aspect ratio: 16:10</li> <li>• Number of pixels 3,072,000 (1280 x 800 x 3) pixels</li> <li>• Focus Manual</li> <li>• Zoom - Powered/Manual Manual</li> <li>• Zoom - Ratio Approx. x 1.03</li> <li>• Throw Ratio 0.27:1 to 0.27:1</li> <li>• Lens shift - Powered/Manual Manual</li> <li>• Lens shift - Range Vertical +/- 3.7%</li> <li>• Lens shift - Range Horizontal +/- 2.3%</li> <li>• Type Ultra high pressure mercury lamp</li> <li>• Wattage 225 W type</li> </ul> |  |
| 103 |  | Sony Projektor VPL-SW630  | Rp.19.330.000,- | <ul style="list-style-type: none"> <li>• Display system : 3 LCD system</li> <li>• Size of effective display area : 0.59" (15.0 mm) x 3 BrightEra LCD Panel, Aspect ratio: 16:10</li> <li>• Number of pixels : 3,072,000 (1280 x 800 x 3) pixels</li> <li>• Focus : Manual</li> <li>• Zoom – Powered/Manual : Manual</li> <li>• Zoom – Ratio : Approx. x 1.03</li> <li>• Throw Ratio : 0.27:1 to 0.27:1</li> <li>• Type : Ultra high pressure mercury lamp</li> <li>• Wattage : 225 W type</li> <li>• Screen size : 65" to 110" (1.65 m to 2.79 m) (measured diagonally)</li> </ul>   |  |


|            |   |                                  |                        |   |  |
|------------|---|----------------------------------|------------------------|---|--|
| <p>104</p> |    | <p>Sony Proyektor VPL-SW630C</p> | <p>Rp.24.670.000,-</p> | <ul style="list-style-type: none"> <li>• Optical Specifications Detail:</li> <li>• Color Light Output 3100 lumens (lamp mode : high), 2400 lumens (standard), 2000 lumens (low)</li> <li>• Light Output 3100 lumens (lamp mode : high), 2400 lumens (standard), 2000 lumens (low)</li> <li>• Contrast Ratio 3,000 :1</li> <li>• Lamp High-pressure mercury lamp 225 W type</li> <li>• Lamp Life 3000H(lamp mode : High) / 5000H(Standard) / 8000H(Low)</li> <li>• Projection Lens Zoom/Focus -Approx. 1.03x manual zoom / Manual focus</li> <li>• Lens Shift – Manual, Vertical +/- 4% Horizontal +/- 2%</li> <li>• Throw Ratio 0.27 to 0.29:1</li> <li>• Screen Coverage 65" to 110</li> </ul> |  |
| <p>105</p> |  | <p>Sony Proyektor VPL-SX226</p>  | <p>Rp.11.610.000,-</p> | <ul style="list-style-type: none"> <li>• Display System 3LCD System</li> <li>• Focus : Manual</li> <li>• Throw Ratio : 0.46:1</li> <li>• Speaker : 16 W x 1 (monaural)</li> <li>• Wireless Network(s) On/Off Switch :             <ol style="list-style-type: none"> <li>1) Press the MENU button, then select [Connection/Power]</li> <li>2) [WLAN Settings]</li> <li>3) [WLAN Connection]</li> <li>4) Select On or Off</li> </ol> </li> <li>• Lamp mode: Low : 30 dB</li> <li>• Dimension (WxHxD) : 365 x 138.7 x 310 mm</li> <li>• Weight : 4.4kg</li> </ul>   |  |

|     |   |                          |                 |  |  |
|-----|---|--------------------------|-----------------|--|--|
| 106 |    | Sony Projektor VPL-SX236 | Rp.11.740.000,- | <ul style="list-style-type: none"> <li>• Display System : 3 LCD system</li> <li>• - Size of effective display area : 0.63 (16.0 mm) x 3 BrightEra LCD Panel, Aspect ratio: 4:3</li> <li>• - Number of pixels : 2,359,296 (1024 x 768 x 3) pixels</li> <li>• - Focus : Manual</li> <li>• - Throw Ratio : 0.46:1</li> <li>• - Type : Ultra high pressure mercury lamp</li> <li>• - Wattage : 210 W type</li> <li>• - Lamp mode: High : 4000 H</li> <li>• - Screen size : 60 to 110 (1.52 m to 2.79m) (measured diagonally)</li> <li>• - Light output Lamp mode: High = 3300 lm</li> <li>• - Contrast ratio (full white / full black) *2 : 3000:1</li> <li>• - Speaker : 16 W x 1 (monaural)</li> <li>• - Displayable scanning frequency horizontal : 15 kHz to 92 kHz</li> </ul> |  |
| 107 |  | Sony Projektor VPL-SX631 | Rp.21.470.000,- | <ul style="list-style-type: none"> <li>• Display System 3 LCD system</li> <li>• Size of effective display area 0.63"(16 mm) x 3 BrightEra LCD Panel, Aspect ratio: 4:3</li> <li>• Number of pixels 2,359,296 (1024x768 x 3) pixelsFocus Manual</li> <li>• Zoom - Powered/Manual Manual</li> <li>• Zoom - Ratio Approx. x 1.03</li> <li>• Throw Ratio 0.27:1-0.27:1 (0.267:1-0.274:1)</li> <li>• Lens shift-Powered/Manual</li> <li>• Lens shift - Range Vertical +/- 3.1%</li> <li>• Lens shift - Range Horizontal +/- 2.3%</li> <li>• Type Ultra high pressure mercury lamp</li> </ul>  |  |




|     |   |  |                |  |  |
|-----|---|--|----------------|--|--|
| 108 |    | Sony VPL-DX127 XGA Projector             | Rp.6.950.000,- | <ul style="list-style-type: none"> <li>• Brightness: 2600 ANSI</li> <li>• Low light brightness: 1700 ANSI</li> <li>• Resolution: 1024 x 768 XGA</li> <li>• Type: 3LCD</li> <li>• Contrast: 2500: 1</li> <li>• Weight: 2.6 (kg)</li> <li>• Lamp life: 3000 h</li> <li>• ECO Lamp Life: 10,000 h</li> <li>• Manufacturer Warranty: 24 months</li> <li>• Wi-Fi Optional</li> <li>• include pocket</li> </ul>                    |  |
| 109 |   | Sony VPL-DX147 XGA Projector             | Rp.8.675.000,- | <ul style="list-style-type: none"> <li>• Brightness: 3200 ANSI</li> <li>• Low light brightness: 1900 ANSI</li> <li>• Resolution: 1024 x 768 XGA</li> <li>• Type: 3LCD</li> <li>• Format: 4: 3</li> <li>• Contrast: 2500: 1</li> <li>• Weight: 2.6 (kg)</li> <li>• Lamp life: 3000 h</li> <li>• ECO Lamp Life: 10,000 h</li> <li>• Manufacturer Warranty: 24 months</li> <li>• Wi-Fi Optional</li> <li>• incl. Bag</li> </ul> |  |
| 110 |  | Sony VPL-EW255 WXGA Multimedia Projector | Rp.9.725.000,- | <ul style="list-style-type: none"> <li>• BrightEra 3LCD Technology</li> <li>• 1.6x Zoom and 1.40 to 2.27:1 Throw Ratio</li> <li>• 3200 Lumens Lamp</li> <li>• 16:10 Native Aspect Ratio</li> <li>• USB Computer Connectivity</li> <li>• "PC-Less" USB Presentations</li> <li>• Wireless Tablet Connection Capability</li> <li>• Ethernet Connectivity</li> <li>• Auto Brightness</li> <li>• Eco Mode</li> </ul>              |  |




|     |   |   |                        |   |  |
|-----|---|---|------------------------|---|--|
|     |   |   |                        | <ul style="list-style-type: none"> <li>• Gamma Correction</li> <li>• Simplified Maintenance</li> </ul>  |  |
| 111 |    | <p>Sony VPL-EW295 WXGA Multimedia Projector</p> | <p>Rp.12.825.000,-</p> | <ul style="list-style-type: none"> <li>• Lamp (Bulb) : 1x UHP</li> <li>• Watts : 210 W</li> <li>• Life Bright Mode: 6000 Hours</li> <li>• Normal Mode: 8000 Hours</li> <li>• Low Mode : 10000 Hours</li> <li>• Fan Noise : Not Specified By Manufacturer</li> <li>• Remote Control : Yes</li> <li>• Security : Cable Lock Slot</li> <li>• System Requirements : Windows XP, Vista, 7, 8, Pentium 4 2.8 GHz Processor or greater, Mac OS X 10.6+</li> <li>• Power Requirements : 100-240 VAC, 50/60 Hz</li> <li>• Power Consumption : Normal Mode: 303 W</li> <li>• Dimensions (WxHxD) : 14.4 x 10.5 x 4.2" / 365.0 x 267.0 x 106.0 mm</li> <li>• Weight : 9 lb / 4.08 kg</li> </ul> |  |
| 112 |  | <p>Sony VPL-EX230</p>                           | <p>Rp.5.750.000,-</p>  | <ul style="list-style-type: none"> <li>• Display System 3 LCD system</li> <li>• Size of effective display area 0.63" (16 mm) x 3 BrightEra LCD Panel, Aspect ratio: 4:3</li> <li>• Number of pixels 2,359,296 (1024 x 768 x 3) pixels</li> <li>• Focus Manual</li> <li>• Zoom – Powered/Manual Manual</li> <li>• Zoom – Ratio Approx. x 1.2</li> </ul>  |  |


|     |   |  |                |  |  |
|-----|---|--|----------------|--|--|
|     |   |  |                | <ul style="list-style-type: none"> <li>• Throw Ratio 1.47:1 to 1.77:1</li> </ul>   |  |
| 113 |    | <p>Sony VPL-EX255 3300-Lumen XGA LCD Projector</p> | Rp.7.725.000,- | <ul style="list-style-type: none"> <li>• Bright Era 3LCD Technology</li> <li>• 1.6x Zoom and 1.40:1 to 2.27:1 Throw Ratio</li> <li>• 3300 Lumens Lamp</li> <li>• 4:3 Native Aspect Ratio</li> <li>• USB Computer Connectivity</li> <li>• "PC-Less" USB Presentations</li> <li>• Wireless Tablet Connection Capability</li> <li>• Ethernet Connectivity</li> <li>• Auto Brightness</li> <li>• Eco Mode</li> <li>• Gamma Correction</li> <li>• Simplified Maintenance</li> </ul>   |  |
| 114 |  | <p>Sony VPL-EX310 XGA 3800 Lumens Projector</p>    | Rp.8.750.000,- | <ul style="list-style-type: none"> <li>• Display System : 3 LCD system</li> <li>• Number of pixels : 2,359,296 (1024x768 x 3) pixels</li> <li>• Projection lens :</li> <li>• Focus : Manual</li> <li>• Zoom – Powered/Manual : Manual</li> <li>• Zoom – Ratio : Approx. x 1.6</li> <li>• Throw Ratio : 1.40:1 to 2.27:1</li> <li>• Type : Ultra high pressure mercury lamp</li> <li>• Wattage : 225 W type</li> <li>• Recommended lamp replacement time :</li> <li>• Lamp mode: High : 4000 H</li> <li>• Lamp mode: Standard : 6000 H</li> <li>• Lamp mode: Low : 10000 H</li> <li>• Screen size :</li> <li>• Screen size : 30" to 300"(0.76 m to 7.62 m) (measured diagonally)</li> </ul> |  |

|            |   |   |                        |  |  |
|------------|---|---|------------------------|--|--|
| <p>115</p> |    | <p>Sony VPL-EX340 XGA high brightness compact projector</p>           | <p>Rp.11.725.000,-</p> | <ul style="list-style-type: none"> <li>• Bright, clear images with maximum 4,200 lumens colour light output</li> <li>• 3LCD BrightEra™ technology</li> <li>• XGA resolution</li> <li>• Energy efficient with long-lasting lamp life up to 10,000 hours</li> <li>• Advanced energy-saving features</li> <li>• Quick go</li> <li>• Control and management from any networked PC</li> <li>• Present wirelessly</li> <li>• Remote Control app for iOS/Android</li> <li>• USB media viewer</li> <li>• USB Display function for easy one-cable PC connection</li> <li>• Customised input naming labels</li> <li>• Easier maintenance</li> <li>• Quiet operation</li> <li>• Low fan noise ensures discreet, unobtrusive operation in classrooms and meeting rooms.</li> </ul> |  |
| <p>116</p> |  | <p>Sony VPL-EX345 4200-Lumen XGA LCD Projector with Ceiling Mount</p> | <p>Rp.11.850.000,-</p> | <ul style="list-style-type: none"> <li>• Vertical Keystone Adjustment</li> <li>• Digital Zoom</li> <li>• Six Picture Modes</li> <li>• Smart APA (Auto Pixel Alignment)</li> <li>• Powerful 16W Audio</li> <li>• Picture Muting / Audio Muting</li> <li>• Customized Input Naming Labels</li> <li>• Direct Power On/Off</li> <li>• Built-In Security Measures</li> <li>• Optional Wi-Fi</li> <li>• Up to 10,000-Hour Lamp Life</li> <li>• Filter Cleaning Cycle at the Same Time as Lamp</li> </ul>   |  |



|     |   |  |                |  |  |
|-----|---|--|----------------|--|--|
|     |   |  |                | <ul style="list-style-type: none"> <li>Eco Mode</li> </ul>   |  |
| 117 |    | Super Bracket Bracket Projector Besi                     | Rp.90.000,-    | <ul style="list-style-type: none"> <li>Bracket besi bisa di perpanjang</li> <li>Memiliki super tambahan bracket</li> <li>Berat 6Kg</li> <li>Panjang 55-85cm</li> <li>Warna Hitam dan Silver</li> </ul>   |  |
| 118 |    | Toshiba NPS15A SVGA 3D DLP 3000<br>ANSI Lumens Projector | Rp.3.900.000,- | <ul style="list-style-type: none"> <li>Native Resolution SVGA 800 x 600, Aspect Ratio 4:3, Brightness (ANSI Lumens)3,000, Contrast Ratio 10,000:1, Projection Distance 1.2 to 12m, Zoom 1.1x Mechanical Optical Zoom, Lamp 190W, Lamp Life (Eco/Normal) 6,000hrs / 5,000hrs, HDMI, VGA, Composite Video -in, Audio-in, S-Video-in, 2W Speaker, Laser Pointer with remote control.</li> </ul> |  |
| 119 |  | Toshiba NPW15A WXGA 3D DLP 3000<br>ANSI Lumens Projector | Rp.7.250.000,- | <ul style="list-style-type: none"> <li>Brilliant Performance</li> <li>Lower Maintenance and Connectivity</li> <li>About Toshiba</li> </ul>   |  |

|     |   |   |                |   |  |
|-----|---|---|----------------|---|--|
| 120 |    | Toshiba NPX15A XGA 3D DLP 3000<br>ANSI Lumens Projector | Rp.4.750.000,- | <ul style="list-style-type: none"> <li>• Movies to Business</li> <li>• User Friendly and Convenience</li> <li>• Easy Connectivity</li> </ul>  |  |
| 121 |    | Tripod Projector Elite Screens 60-120cm                 | Rp.550.000,-   | <ul style="list-style-type: none"> <li>• Elite Screens Tripod Series of projection screens is a fitting solution for almost any indoor or outdoor video projection presentation. This series features Elite Screens 1.1 gain, 4K Ultra HD ready, GreenGuard and GreenGuard Gold certified MaxWhite front projection screen material. This screen is completely black backed and bordered to enhance picture quality, black/white contrast, and prevents light penetration.</li> </ul> |  |
| 122 |  | ViewSonic PJD5151 Projector Ceiling Mount               | Rp.3.800.000,- | <ul style="list-style-type: none"> <li>• CNC machined aircraft grade aluminum mounting plate</li> <li>• Fully adjustable 360 degree swivel mount</li> <li>• All the necessary hardware included</li> <li>• Detailed instructions for easy and quick installation</li> <li>• Sets the projector approximately 4 inches away from the ceiling</li> </ul>  |  |

|            |   |                                    |                       |  |  |
|------------|---|------------------------------------|-----------------------|--|--|
| <p>123</p> |  | <p>ViewSonic PJD5253 Projector</p> | <p>Rp.4.000.000,-</p> | <ul style="list-style-type: none"> <li>• Premium Curved Design With Intuitive Keypad</li> <li>• SuperColor™ Best in Class Colour Accuracy</li> <li>• SonicExpert™ Clear, Comfortable and Louder Sound</li> <li>• Bright Images for Any Environment</li> <li>• Easy-of-Use Pre-Set Colour Modes</li> <li>• Quickly Access Your Favourite Features With “My Button”</li> <li>• Auto Power On / Off</li> <li>• 3D Compatible for Exciting Visual Effects</li> </ul> |  |
|------------|---|------------------------------------|-----------------------|--|--|