







E-CATALOG





CCTV






No	Gambar	Nama Barang	Harga	Spesifikasi	Warna
1		2 Cable UTP CAT 5e SPC / BOX+ 1 Cable Utp Cat6 Spc 300 Meter	Rp.1.275.000,-	<ul style="list-style-type: none"> • UTP 4 CAT-5e High speed transfer rate • High quality low cost • CCA Conductors • 305 Meter/ 1000 Feet • Cable UTP Cat 6 SPC Jaringan Kabel Kuat • Tarikan Panjang • Tes tarikan 150m menggunakan cam 2.0 mp zafio 	
2		3 Cable UTP CAT 5e SPC / BOX+ 1 Cable Utp Cat6 Spc 300 Meter	Rp.1.525.000,-	<ul style="list-style-type: none"> • Kabel UTP SPC Cat5e UTP 4 CAT-5e • High speed transfer rate • High quality low cost • CCA Conductors • Support POE • 305 Meter/ 1000 Feet • Grey Color • Kabel UTP SPC Cat 6 Cable utp cat 6 spc • Jaringan Kabel Kuat • Tarikan Panjang • Tes tarikan 150 m menggunakan cam 2.0 mp zavio • Weight 7kg/box 	
3		Amaryllo iSensor HD Patio Outdoor Security Camera	Rp.2.490.000,-	<ul style="list-style-type: none"> • 240° Manual Tracking • Snapshot and Text Alert Message • Weather-resistant • High Definition Camera • Multi-Motion Sensors • Anti Intruder Flash • Privacy Protection 	
4		Amaryllo Robot Security iCamPRO FHD Home Security Camera	Rp.3.550.000,-	<ul style="list-style-type: none"> • 3 Motion Sensors detect movement and track targets with 360° visibility • Mechanized Lens System uses the right lens in all lighting environments to ensure clear footage • Notifies you remotely of activity and pushes a time-stamped photo to you for evidence • Free Cloud Storage of up to FHD 1920 x 1080 video for viewing anywhere in the Amaryllo app • 256-bit Advanced Encryption protects your privacy so that your videos are seen by your eyes only 	



5		AMP Category-5E (Grey)	Rp.1.140.000,-	<ul style="list-style-type: none"> • Product UTP Cable • Brand AMP • Type Cat 5e High • Quality 305m 	
6		AMP Connector FTP/STP	Rp.975.000,-	<ul style="list-style-type: none"> • Kabel belden dengan aluminium foil didalam jacket atau shielded berguna untuk menstabilkan transfer data di tempat yang banyak gelombang elektromagnetik seperti di dalam pabrik atau jika anda memposisikan kabel data sejajar dengan kabel listrik kabel belden stp ini cocok sekali untuk anda. • Panjang 1000feet/305m • Berat +-16Kg • Warna Grey 	
7		CABLE UTP CAT 5e SPC / BOX	Rp.350.000,-	<ul style="list-style-type: none"> • Merk UTP 4 CAT-5e • High speed transfer rate • High quality low cost • CCA Conductors • Support POE • 305 Meter/ 1000 Feet • Color Grey 	
8		CABLE UTP CAT 5e SPC / BOX+CABLE Utp Cat6 Spc 300 Meter	Rp.950.000,-	<ul style="list-style-type: none"> • Merk UTP 4 CAT-5e • High speed transfer rate • High quality low cost • CCA Conductors • Support POE • 305Meter/ 1000 Feet • Color Grey • Type Cable utp cat 6 spc • Jaringan Kabel Kuat • Tarikan Panjang. • Tes tarikan 150m menggunakan cam 2.0 mp zavio 	
9		DAHUA CA-DW191E 800TVL HDIS Water-proof IR Mini Dome Camera	Rp.300.000,-	<ul style="list-style-type: none"> • 1/3" 1.3Mega HDIS • High resolution of 800TVL (Color) • Day/Night (ICR), AWB, AGC, BLC • 3.6mm fixed lens (2.8mm, 6mm, 8mm optional) • Max. IR LEDs length 20m, Smart IR • IP66, DC12V 	
10		DAHUA CA-FW191G 800TVL HDIS Day/Night Waterproof IR	Rp.300.000,-	<ul style="list-style-type: none"> • 1/3" • 1.3Mega HDIS • High resolution of 800TVL • Day/Night (ICR), ATW, AGC, BLC • 6mm fixed lens • (2.8 mm, 3.6mm, 8mm optional) 	




		Camera		<ul style="list-style-type: none"> • Max. IR LEDs length 20m • Smart IR • IP66, DC12V 	
11		DAHUA CCTV IPC-HDW1000S	Rp.620.000,-	<ul style="list-style-type: none"> • 1/4" 1Megapixel progressive scan CMOS • H.264 & MJPEG dual-stream encoding • Max 25/30fps@720P(1280× 720) • DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 3.6mm fixed lens (2.8mm,6mm optional) • Max. IR LEDs Length 20m • IP66, PoE 	
12		DAHUA CCTV IPC-HDW1200S	Rp.845.000,-	<ul style="list-style-type: none"> • 1/3" 3Megapixel progressive scan CMOS • H.264 & MJPEG dual-stream encoding • Max 25/30fps@1080P(1920 x1080)/720P(1280 x720) • Day/Night(ICR), 2DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 3.6mm fixed lens (6mm optional) • Max. IR LEDs Length 20m • IP66, DC12V, PoE 	
13		DAHUA CCTV IPC- HDW1320SP	Rp.920.000,-	<ul style="list-style-type: none"> • 1/3" 3Megapixel progressive scan CMOS • H.264&MJPEG dual-stream encoding • Max 20fps@3M(2048× 1536)&25/30fps@1080P(1920× 1080) • DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 3.6mm fixed lens (2.8mm, 6mm optional) • Max. IR LEDs Length 30m • IP67, PoE 	
14		DAHUA CCTV IPC-HFW1000S	Rp.620.000,-	<ul style="list-style-type: none"> • 1/4" 1Megapixel progressive scan CMOS • H.264 & MJPEG dual-stream encoding • Max 25/30fps@720P(1280× 720) • DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 3.6mm fixed lens (6mm,8mm optional) • Max. IR LEDs Length 30m • IP66, PoE 	
15		DAHUA CCTV IPC-HFW1220S	Rp.770.000,-	<ul style="list-style-type: none"> • 1/2.7" 2Megapixel progressive scan CMOS • H.264&MJPEG dual-stream encoding • 25/30fps@1080P(1920× 1080) • DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 3.6mm fixed lens (6mm optional) • Max. IR LEDs Length 30m • IP67, PoE 	



16		DAHUA CCTV IPC- HFW1320SP	Rp.930.000,-	<ul style="list-style-type: none"> • Power Supply DC12V, PoE (802.3af) • Power Consumption <4.7W(IR on) • Working Environment -30°C~+60°C, Less than 95% RH • Ingress Protection IP67 • Vandal Resistance N/A • Dimensions F70mm× 165mm • Weight 0.38Kg (with package 0.44 Kg) 	
17		DAHUA DH- DVR2116C Smart 1U Standalone DVR	Rp.1.045.000,-	<ul style="list-style-type: none"> • Up to 8/16 cameras with 1080p realtime preview • H.264 dual-stream video compression • DVR2104/2108/2116C-V2: All channel 2CIF realtime recording or up to 960H recording • HDMI/VGA/TV simultaneous video output • 4/8/16 channel synchronous realtime playback, GRID interface & smart search • Support 1 SATA HDD up to 4TB, 2 USB2.0 • Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS)&Smart Phone (DMSS) 	
18		DAHUA DH- DVR5104H All Channel D1 Mini 1U Standalone DVR	Rp.750.000,-	<ul style="list-style-type: none"> • Support HDCVI/Analog/IP Video input • H.264 dual-stream video compression • HCVR5104/5108/5116H-S2: All channel 720P realtime or 1080P non-realtime recording • HDMI/VGA simultaneous video output • 4/8/16 channel synchronous realtime playback, GRID interface & smart search • Support Multi-brand network cameras: Dahua, Arecont Vision, AXIS, Bosch, Brickcom, Canon, CP Plus, Dynacolor, Honeywell, Panasonic, Pelco, Samsung, Sanyo, Sony, Videosec, Vivotek and etc. • ONVIF Version 2.4 conformance • Support 1 SATA HDD up to 6TB, 2 USB2.0 • 3D intelligent positioning with Dahua PTZ dome camera • Multiple network monitoring: Web viewer, CMS (DSS/Smart PSS) & Smart Phone (DMSS) 	
19		DAHUA DH- DVR5108H All Channel D1 Mini 1U Standalone DVR	Rp.1.020.000,-	<ul style="list-style-type: none"> • Up to 4/8/16 cameras with 1080p realtime preview • H.264 dual-stream video compression • DVR5104H-V2/5108H/5116H: All channel 960H realtime recording • HDMI/VGA/TV simultaneous video output • 4 channel synchronous realtime playback, GRID interface & smart search • 3D intelligent positioning with Dahua PTZ dome camera • Support 1 SATA HDD up to 4TB, 2 USB2.0 • Multiple network monitoring: Web viewer, CMS (DSS/PSS) & DMSS 	

20		DAHUA HAC-HDW1000MP - 1Megapixel 720P Waterproof IR HDCVI Mini Dome Camera	Rp.255.000,-	<ul style="list-style-type: none"> • 1/4" 1Megapixel CMOS • 25/30fps@720P • High speed, long distance real-time transmission • Day/Night(ICR), AWB, AGC, BLC • 3.6mm fixed lens • Max. IR LEDs length 30m, Smart IR • IP67, DC12V 	
21		DAHUA HAC-HDW1200M - 2Megapixel 1080P Waterproof IR HDCVI Mini Dome Camera	Rp.400.000,-	<ul style="list-style-type: none"> • 1/2.7" 2Megapixel CMOS • 25/30fps@1080P • High speed, long distance real-time transmission • Day/Night(ICR), AWB, AGC, BLC, 2D-DNR • 3.6mm fixed lens (6mm optional) • Max. IR LEDs length 30m, Smart IR • IP67, DC12V 	
22		DAHUA HAC-HFW1000RM - 1Megapixel 720P Waterproof HDCVI IR-Bullet Camera	Rp.235.000,-	<ul style="list-style-type: none"> • 1/4" 1Megapixel CMOS • 25/30fps@720P • High speed, long distance real-time transmission • Day/Night (ICR), AWB, AGC, BLC, 2D-DNR • 3.6mm fixed lens • Max. IR LEDs length 20m, Smart IR • IP67, DC12V 	
23		DAHUA HAC-HFW1200RM - 2Megapixel 1080P Waterproof HDCVI IR-Bullet Camera	Rp.395.000,-	<ul style="list-style-type: none"> • 1/2.7" 2Megapixel CMOS • 25/30fps@1080P • High speed, long distance real-time transmission • Day/Night(ICR), AWB, AGC, BLC, 2D-DNR • 3.6mm fixed lens (6mm optional) • Max. IR LEDs length 20m, Smart IR • IP67, DC12V 	
24		DAHUA HCVR5104H - HDCVI 4 Channel DVR	Rp.980.000,-	<ul style="list-style-type: none"> • Up to 4 cameras with 1080p realtime preview • H.264 dual-stream video compression • HCVR5104 : All channel 720P • HDMI / VGA simultaneous video output • 4 channel synchronous realtime playback, GRID interface & smart search • 3D intelligent positioning with Dahua PTZ dome camera • Support 1 SATA HDD up to 4TB, 2 USB2.0 	




25		<p>DAHUA HCVR5108H - 8 All Channel 720P Mini 1U HDCVI DVR</p>	<p>Rp.1.370.000,-</p>	<ul style="list-style-type: none"> • Support HDCVI/Analog/IP Video input • H.264 dual-stream video compression • HCVR5104/5108/5116H-S2 : All channel 720P realtime or 1080P non-realtime recording • HDMI/VGA simultaneous video output • 4/8/16 channel synchronous realtime playback, GRID interface & smart search • Support Multi-brand network cameras: Dahua, Arecont Vision, AXIS, Bosch, Brickcom, Canon, CP Plus, Dynacolor, Honeywell, Panasonic, Pelco, Samsung, Sanyo, Sony, Videosec, Vivotek and etc. • ONVIF Version 2.4 conformance • Support 1 SATA HDD up to 6TB, 2 USB2.0 • 3D intelligent positioning with Dahua PTZ dome camera • Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS)&Smart Phone (DMSS)
26		<p>DAHUA HCVR5116H - HDCVI 16 Channel DVR</p>	<p>Rp.2.325.000,-</p>	<ul style="list-style-type: none"> • Up to 16 cameras with 1080p realtime preview. • H.264 dual-stream video compression • 16 channel synchronous realtime playback, GRID interface, smart search. • 3D intelligent positioning with Dahua PTZ dome camera. • HVR501H16S2: New Tribrid Version All channel 720P realtime or 1080P non-realtime recording. • HDMI/VGA simultaneous video output. • Supports 1 SATA HDD up to 4TB, 2 USB2.0. Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS), Smart Phone(DMSS). New Tribrid HVR501H16S2 Compatible with Analog, HDCVI. No HDD included.
27		<p>DAHUA NVR1108H Network Video Recorder</p>	<p>Rp.865.000,-</p>	<ul style="list-style-type: none"> • up to 8 channel with 1080P realtime live view • H.264/MJPEG dual codec decoding • Max 56Mbps incoming bandwidth • All channel synchronous realtime playback • GRID interface • Support Multi-brand network cameras: Dahua, Arecont Vision, AXIS, Bosch, Brickcom, Canon,CP Plus, Honeywell, Panasonic, Pelco, Samsung, Sanyo, Sony, Videotec, Vivotek and etc. • ONVIF Version 2.3 conformance • Support P2P • QR code • 1 VGA/1 HDMI • 1 ch • 1 SATA HDD @ up to 4TB • 1080p


28		<p>DAHUA NVR4116H Network Video Recorder</p>	<p>Rp.1.230.000,-</p>	<ul style="list-style-type: none"> • Up to 8/16 channel with 1080P realtime live view • Max 80Mbps incoming bandwidth • H.264/MJPEG dual codec decoding • Up to 5Mp resolution preview & playback • HDMI/VGA simultaneous video output • All channel synchronous realtime playback, GRID interface & smart search • Support Multi-brand network cameras: Dahua, Arecont Vision, AXIS, Bosch, Brickcom, Canon, CP Plus, Dynacolor, Honeywell, Panasonic, Pelco, Samsung, Sanyo, Sony, Videotec, Vivotek and etc. • ONVIF Version 2.3 conformance • 3D intelligent positioning with Dahua PTZ camera • Support 1 SATA HDD up to 4TB, 2 USB2.0 • Support IPC UPnP, 8PoE ports • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • Delivery time : 25 work days
29		<p>DAHUA NVR4232P Network Video Recorder</p>	<p>Rp.2.635.000,-</p>	<ul style="list-style-type: none"> • Up to 4 /8/16 /32 channel with 1080P realtime live view • H.264/ MJPEG dual codec decoding • Max 200Mbps incoming bandwidth • Up to 5Mp resolution preview&playback • HDMI/ VGA simultaneous video output • 4/8/16 channel synchronous realtime playback, GRID interface • Support Multi -brand network cameras: Dahua, Arecont Vision, AXIS, Bosch, Brickcom, Canon, • CP Plus, Dynacolor, Honeywell, Panasonic, Pelco, Samsung, Sanyo, Sony, Videot ec, Vivote k and • etc. • ONVIF Version 2. 3conformance • 3D intelligent positioning with Dahua PTZ camera • Support 2 SATA HDDs up to 8TB, 2 USB(1 USB3.0) • Support IPC UPnP, 4PoE ports • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS


30		Kabel Coaxial CCTV RG6+Power 300m	Rp.700.000,-	<ul style="list-style-type: none"> • Cable RG6+Power adalah kabel Coaxial yang digunakan untuk instalasi CCTV system yang sudah dilengkapi dengan kabel power. Kabel ini memiliki kemurnian tembaga yang tinggi dan cocok digunakan untuk CCTV dengan jarak sedang maupun Menengah. Kabel ini dilengkapi dengan aluminium foil agar transmisi data tidak terganggu oleh Noise yang disebabkan oleh peralatan listrik / kabel lainnya. • Type RG6+Power • Merk SPC • Panjang 300mtr/roll • Jarak Menengah 	
31		Kabel Coaxial Merk SPC RG59 + Power 100m	Rp.250.000,-	<ul style="list-style-type: none"> • Cable RG59+Power adalah kabel Coaxial yang digunakan untuk instalasi CCTV system yang sudah dilengkapi dengan kabel power. Kabel ini memiliki kemurnian tembaga yang tinggi dan cocok digunakan untuk CCTV dengan jarak pendek maupun sedang. Kabel ini dilengkapi dengan aluminium foil agar transmisi data tidak terganggu oleh Noise yang disebabkan oleh peralatan listrik / kabel lainnya. • RG59+Power • SPC • 100mtr/roll • Sedang 	
32		Kabel Coaxial Merk SPC RG59 + Power 100m (3roll)	Rp.700.000,-	<ul style="list-style-type: none"> • Cable RG59+Power adalah kabel Coaxial yang digunakan untuk instalasi CCTV system yang sudah dilengkapi dengan kabel power. Kabel ini memiliki kemurnian tembaga yang tinggi dan cocok digunakan untuk CCTV dengan jarak pendek maupun sedang. Kabel ini dilengkapi dengan aluminium foil agar transmisi data tidak terganggu oleh Noise yang disebabkan oleh peralatan listrik / kabel lainnya. • Type RG59+Power • Merk SPC • Panjang 100mtr/roll • Jarak Sedang • Jumlah 3roll 	




33		Kabel Coaxial Merk SPC RG59 + Power 100m (3roll) (CASH)	Rp.650.000,-	<ul style="list-style-type: none"> • Cable RG59+Power adalah kabel Coaxial yang digunakan untuk instalasi CCTV system yang sudah dilengkapi dengan kabel power. Kabel ini memiliki kemurnian tembaga yang tinggi dan cocok digunakan untuk CCTV dengan jarak pendek maupun sedang. Kabel ini dilengkapi dengan aluminium foil agar transmisi data tidak terganggu oleh Noise yang disebabkan oleh peralatan listrik / kabel lainnya. • Type RG59+Power • Merk SPC • Panjang 100mtr/roll • Jarak Sedang • Jumlah 3roll • Pembayaran Cash 	
34		Kabel Coaxial RG11 with Power LG LS 305m	Rp.1.875.000,-	<ul style="list-style-type: none"> • LS Cable Ltd adalah nama baru dari LG Cable Ltd, yang merupakan penyedia global leading solution untuk industri Listrik (energy) dan Telekomunikasi dari Korea. Dengan motto perusahaan Always with Our Customers, LS Cable Ltd saat ini telah menjadi tiga besar pabrikan kabel di dunia. Dia juga menjamin bahwa semua produk dari LS Cable 100% telah lulus uji pabrik (factory tested), tidak ada barang palsu dan akan memberikan training produknya secara regular kepada konsumen. LS Cable didesain dengan kualitas yang tinggi untuk mencapai beberapa keunggulan. Di antaranya operating efficiency, energy saving dan easy for installation. • Coaxial RG11 + Power adalah kombinasi kabel coaxial berkualitas dan kabel power dalam satu kabel. Menggunakan kombinasi kabel ini memungkinkan proses instalasi menjadi lebih efisien karena hanya perlu menarik satu kabel yang berfungsi ganda. Kabel coaxial ini memiliki kandungan tembaga yang tinggi (90-95 persen) yang memungkinkan pengiriman signal video untuk jarak jauh. Kabel power yang terdapat pada paket ini adalah kabel serabut yang dapat digunakan untuk mengalirkan listrik AC ataupun DC yang diperlukan oleh CCTV. 	

35		Kabel Coaxial RG6 with Power LG LS 305m	Rp.660.000,-	<ul style="list-style-type: none"> • LS Cable Ltd adalah nama baru dari LG Cable Ltd, yang merupakan penyedia global leading solution untuk industri Listrik (energy) dan Telekomunikasi dari Korea. Dengan motto perusahaan Always with Our Customers, LS Cable Ltd saat ini telah menjadi tiga besar pabrikan kabel di dunia. Dia juga menjamin bahwa semua produk dari LS Cable 100% telah lulus uji pabrik (factory tested), tidak ada barang palsu dan akan memberikan training produknya secara regular kepada konsumen. LS Cable didesain dengan kualitas yang tinggi untuk mencapai beberapa keunggulan. Di antaranya operating efficiency, energy saving dan easy for installation. • Coaxial RG6 + Power adalah kombinasi kabel coaxial berkualitas dan kabel power dalam satu kabel. Menggunakan kombinasi kabel ini memungkinkan proses instalasi menjadi lebih efisien karena hanya perlu menarik satu kabel yang berfungsi ganda. Kabel coaxial ini memiliki kandungan tembaga yang tinggi (90-95 persen) yang memungkinkan pengiriman signal video untuk jarak jauh. Kabel power yang terdapat pada paket ini adalah kabel serabut yang dapat digunakan untuk mengalirkan listrik AC ataupun DC yang diperlukan oleh CCTV. 	
36		Kabel LG CCTV RG59+Power 300m	Rp.900.000,-	<ul style="list-style-type: none"> • Kabel LG CCTV RG59+Power merupakan kabel yang digunakan untuk pemasangan CCTV, kabel ini mempunyai struktur 2 buah kabel yaitu kabel power dan kabel video, sangat cocok untuk pemasangan CCTV, karena lebih rapi dalam pemasangan, jika menggunakan kabel coaxial RG-59 LS LG ini, adaptor CCTV dapat dijadikan satu dan dapat menggunakan adaptor sentral/central. Panjang 1 roll Kabel ini adalah 300 meter, berat 18kg. 	
37		Kabel LG CCTV RG6+Power (outdoor - 300m)	Rp.1.040.000,-	<ul style="list-style-type: none"> • Impedance 75Ω • Kapasitas 553 pF/m • SRL 20dB (5-1000MHz) 28.9 lb/kft • Panjang 1 Roll 300 meter • Box Kardus ROLL 	

38		Kabel Utp Cat6 Spc 300 Meter Kabel Lan Utp Cat6	Rp.650.000,-	<ul style="list-style-type: none"> • Cable utp cat 6 spc • Jaringan Kabel Kuat • Tarikan Panjang • Tes tarikan 150m menggunakan cam 2.0mp zavio 	
39		PROLINK PIC1003WP - Wireless IP CAM with Pan/Tilt	Rp.1.800.000,-	<ul style="list-style-type: none"> • Truly Plug and Play - Auto-IP is Plug & Play Solution as easy as USB Webcam. • No router settings • Auto network configuration • Just Key-in ID/Password and enjoy IP video from anywhere in the world • Support all Apple iOS and Android devices. 	
40		PROLINK PIC1006WN- HD - Wireless IP CAM with Night Vision	Rp.1.800.000,-	<ul style="list-style-type: none"> • High-Definition MegaPixel - High definition 720p with 1280 x 800 resolution at 30fps. • Supports the latest H.264 technology in video compression. • Dual-lens & Sensors for Day and Night Operation - PIC1006WN-HD automatically selects the Day/ Night-time lens depending on the illumination level. • No IR Cut Filter required; reduces the risk of mechanical failure. • 2-Way Audio (Built-in Microphone & Speakers) - Communicate with someone in view of the PIC1006WN-HD through your smartphone, tablet or computer. • Push Notification Alert - Any alert triggered by the PIR, Motion, Sound or Temperature sensor will be delivered instantly to your mobile devices as a form of a push notification. • One Touch Wi-Fi Security Setup (WPS) - Instantly establish a secure wireless connection between the camera and router by simply pressing the WPS button on both devices. • Multiple Recording Methods - Record directly to MicroSD card, NAS storage, PC or your mobile device. • Live Viewing and Video Management Software - Free Android/ iOS mobile apps and professional 36 channels Video Management Software for live monitoring and archiving. 	

41		<p>PROLINK PIC1007WP - Wireless IP CAM with Night Vision and Pan/Tilt</p>	<p>Rp.2.950.000,-</p>	<ul style="list-style-type: none"> • High Definition Mega-Pixel - High definition 720p with 1280x800 resolution at 30fps. • Supports the latest H.264 technology in video compression. • Pan/Tilt - Motorized Pan/Tilt functions dramatically improves surveillance area. • Dual Lens (Day and Night vision) - Equipped with auto switching dual lens and image sensors for clearer visuals. One specially tuned for day-time and the other for night-time. • 2-way Audio (Built-in Microphone and Speaker) - With built-in microphone and speaker, users can now communicate with people around the camera anytime. Alternatively, you can setup the speaker to act as an alarm siren whenever there is an alert trigger. • True Plug and Play - True Plug-and-Play solution with no complicated router settings and network configuration. All you need to do is connect PIC1007WP to the internet network and key in the Camera ID and Password to get started. • Smart Wi-Fi Setup - Input your WiFi's SSID and password to generate a QR code and scan it with you PIC1007WP to get connected effortlessly, securely and instantly! • Advanced Alarm Detection Tchnology - Passive Infrared Sensor - Detects moving objects more accurately. • Only detects relevant living objects. • Motion detection - Detects moving objects such as vehicles. • Sound detection - Detects activity out of the camera's viewing angle. • Infrared thermometer - Triggers alert when temperature is out of specified range. • Push Notification - Any alert triggered by PIR, Motion, Sound or Temperature can be pushed to your mobile devices instantly. 	
----	---	--	------------------------------	---	--

42		<p>PROLINK PIC1008WN - True Plug & Play Wireless- N Outdoor IP Camera</p>	<p>Rp.2.350.000,-</p>	<ul style="list-style-type: none"> • High-Definition MegaPixel - High definition 720p with 1280 x 800 resolution at 30fps. • Supports the latest H.264 technology in video compression. • Dual-lens & Sensors for Day and Night Operation - PIC1008WN automatically selects the Day/ Night-time lens depending on the illumination level. No IR Cut Filter required; reduces the risk of mechanical failure. • Push Notification Alert - Any alert triggered by the Motion or Sound sensor will be delivered instantly to your mobile devices as a form of a push notification. • One Touch Wi-Fi Security Setup (WPS) - Instantly establish a secure wireless connection between the camera and router by simply pressing the WPS button on both devices. • Multiple Recording Methods - Record directly to Dropbox cloud storage, MicroSD card, NAS storage, PC or your mobile device. • Live Viewing and Video Management Software - Free Android/ iOS mobile apps and professional 36 channels Video Management Software for live monitoring and archiving. • Robust IP66 rated housing - The PIC1008WN offers an IP66 rated housing which provides a full protection against dust particles and powerful water jets. • Power over Ethernet (Passive PoE, requires the use of provided power adaptor and injector) - PIC1008WN uses Power over Ethernet which passes electrical power along with data over the Ethernet cable. This methods enables the camera to be mounted anywhere especially when no electrical wall socket is available nearby. 	
----	---	--	------------------------------	---	--

43		PROLINK PIC2001WE - Wireless IP CAM with built-in Wireless Extender	Rp.540.000,-	<ul style="list-style-type: none"> • High Definition MegaPixel - High Definition 720p (1280 x 720) with the latest H.264 technology provides smooth and enhanced visuals at a lower bandwidth • Direct Connection - View live footage within your home premises directly from your mobile without connecting to the internet. • Simply connect your mobile directly to the camera to view. • Multiple Viewing Methods - Free Android/ iOS mobile app and professional 16 *channels video management software for live monitoring and archiving *Desktop LiteView utility. • MicroSD Recording - The built-in MicroSD card slot supports recording of up to 128GB (formatted to FAT32) without the need for a professional NVR • Wi-Fi Extender - The built-in Wi-Fi extender eliminates blind spots and extends your wireless network coverage 	
44		SPC 5A CCTV 4- Camera 12VDC 5A Power Supply	Rp.85.000,-	<ul style="list-style-type: none"> • This multi-camera distributed power supply has optional space and connections for a battery to extend run-time in case of a power outage. • Input voltage AV 100~240V, 50~60Hz • Output voltage DC 12V +/- 5% • PTC (resettable) fuse rating 1.1A, 5A total current output • UL listed, CE and RoHS certified 	
45		SPC Adaptor jaring 12v 10A/ power supply cctv 12v10A	Rp.110.000,-	<ul style="list-style-type: none"> • Brand SPC • Garansi 1 tahun • Input 220 volt AC • Output 12 volt DC • Kapasitas 10 ampere • Ukuran 16 cm x 10 cm x 4 cm 	
46		SPC Kabel RG59 + Power untuk CCTV (300m)	Rp.650.000,-	<ul style="list-style-type: none"> • SPC Kabel RG59 Power untuk CCTV (300m) • 300mtr, karena power bisa kumpul jadi satu • kalau ditambahkan UPS maka CCTV akan tetap bekerja walau PLN mati. 	